

EXHIBIT D

Harry Johnson

Reliance List
in Addition to Materials Referenced in Report

MDL Wave 3

Medical Literature

Abdel-Fattah M, Barrington JW, Arunkalaivanan AS. Pelvic pubovaginal sling versus tension free vaginal tape for treatment of urodynamic stress incontinence: a prospective randomized three-year follow-up study. <i>Eur Urol</i> 2004;46:629-35.
Abdel-fattah M, et al. (NHS Scotland) Primary and repeat surgical treatment for female pelvic organ prolapse and incontinence in parous women in the UK: a register linkage study. <i>BMJ</i> (2011)
Abdel-Fattah M, et al. Retrospective multicentre study of the new minimally invasive mesh repair devices for pelvic organ prolapse. <i>BJOG</i> (2008) 115: 22-30. <i>Urogynecol j</i> 22: 789-798.
Abdel-Fattah M, Familusi A, Ramsay I, N'Dow J. A randomised prospective single-blinded study comparing inside-out versus outside-in transobturator tapes in the management of female stress urinary incontinence (E-TOT study): 3 years follow-up. <i>Neurourol Urodyn</i> 2011;30:825-826.
Abdel-fattah M. Evaluation of transobturator tapes (E-TOT) study: randomised prospective single-blinded study comparing inside-out vs. outside-in transobturator tapes in management of urodynamic stress incontinence: Short term outcomes. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 149 (2010) 106-111
Abdel-fattah M. How common are tape erosions? A comparison of two versions of the transobturator tension-free vaginal tape procedure. <i>BJU International</i> 98, 594-598
Abdel-fattah M. Lower urinary tract injuries after transobturator tape insertion by different routes: a large retrospective study. <i>BJOG</i> 2006;113:1377-1381.
Abdel-fattah M. Prospective Randomised Controlled Trial of Transobturator Tapes in management of Urodynamic Stress Incontinence in Women: 3-Year Outcomes from the Evaluation of Transobturator Tapes Study. <i>EUROPEAN UROLOGY</i> 62 (2012) 843-851
Abdel-fattah M. Randomised prospective single-blinded study comparing 'inside-out' versus 'outside-in' transobturator tapes in the management of urodynamic stress incontinence: 1-year outcomes from the E-TOT study. <i>BJOG</i> 2010;117:870-878.
Abdel-Fattah M. Single-Incision Mini-Slings versus Standard Midurethral Slings in Surgical Management of Female Stress Urinary Incontinence: A Meta-Analysis of Effectiveness and Complications. <i>EUROPEAN UROLOGY</i> 60 (2011) 468-480
Abdelmonem A. Vaginal length and incidence of dyspareunia after total abdominal versus vaginal hysterectomy. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 151; 2010; 190-192
Abdelwahab O. Tension-Free Vaginal Tape versus Secure Tension-Free Vaginal Tape in Treatment of Female Stress Urinary Incontinence. <i>Curr Urol</i> 2010;4:93-98
Abduljabbar H. Comparison of the classic TVT and TVT Secur. <i>Prime Research on Education</i> ISSN: 2251-1253. Vol. 2(9), pp. 344-347, October 31st, 2012
Abed H. Incidence and management of graft erosion, wound granulation, and dyspareunia following vaginal prolapse repair with graft materials: a systematic review. <i>Int Urogynecol J</i> ; 2011;11:1384-95.
ACOG Practice Bulletin, Number 63, June 2005. Urinary Incontinence in Women. <i>Obstet Gynecol</i> 2005; 105:1533-45
Adhoue F, et al. Use of transvaginal polypropylene mesh (Gynemesh) for the treatment of pelvic floor disorders in women. Prospective study in 52 patients. <i>Prog Urol</i> 2004;14(2):196-196.
Adile B, Granese R, Lo Bue A, GuglioOtta G, Cardella AM, Adile C. A prospective randomized study comparing laparoscopic Burch versus TVT: short and long term follow-up. <i>ICS 2003:Abstract</i> 550.
Agarwala N. A randomized comparison of two synthetic mid-urethral tension-free slings. <i>Uro Today Int J</i> 2008 Oct;1(4) doi:10.3834/uij. 1939-4810.2008.10.5.
Agostini A, et al. [Pop 12,280] Immediate complications of tension-free vaginal tape (TVT): results of a French survey. <i>Eur J Obstet Gynecol.</i> 2006; 124:237-239.
Agostini A. Immediate Complications of Tension-Free Vaginal Tape (TVT): Results of a French Survey. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 124 (2006) 237-239

Medical Literature

Aigmueller T, et al. [10 yr fu] Ten-year follow-up after the tension-free vaginal tape procedure. Am J Obstet Gynecol. 2011; 205:496.e1-5.
Aigmueller T. Reasons for dissatisfaction ten years after TVT Procedure. Int Urogynecol J (2014) 25:213-217.
Aigmueller T. Ten-year follow-up after the tension-free vaginal tape procedure. Am J Obstet Gynecol 2011;205:1.e1-1.e5
Albo M, Richter, Zimmermann, Moalli, Sirls. - NEJM - SISTER study - Burch Colposuspension versus Fascial Sling to Reduce Urinary Stress Incontinence. N Engl J Med 2007;356:2143-55.
Albo ME et al. - NEJM - SISTER study - Burch Colposuspension versus Fascial Sling to Reduce Urinary Stress Incontinence. N Engl J Med 2007; 356:2143-55.
Albo ME, et al. [Pop 516, 24 mo fu] Treatment Success of Retropubic and Transobturator Mid Urethral Slings at 24 Months. Journal of Urology, 2012; Vol. 188, 2281-2287
Albo, Zimmermann. UITN - The Trial of Mid-Urethral Slings (TOMUS): Design and Methodology. The Journal of Applied Research 2008; 8(1): 1-13.
Alcalay M. Burch colposuspension: a 10-20 year follow up. British Journal of Obstetrics and Gynaecology, September 1995, Vol. 102, pp. 740-745
Alewijnse D, et al. Effectiveness of pelvic floor muscle exercise therapy supplemented with a health education program to promote longterm adherence among women with urinary incontinence. Neurourol Urodyn 2003;22:284-295
Alperin M. Perioperative outcomes of the Prolift pelvic floor repair systems following introduction to a urogynecology teaching service. Int Urogynecol J. 2008; 19:1617-1622
Altman D, et al. Anterior colporrhaphy versus transvaginal mesh for pelvic-organ prolapse. N Engl J Med 2011;364:1826-1836
Altman D, et al. Perioperative morbidity using transvaginal mesh in pelvic organ prolapse repair. Obstet Gynecol 2007;109:303-308
Altman D. Sexual dysfunction after trocar-guided transvaginal mesh repair of pelvic organ prolapse. Obstetrics & Gynecology 2009; 113: 127-133
Altman D. Short-term outcome after transvaginal mesh repair of pelvic organ prolapse. Int Urogynecol J:2008 DOI 10.1007/S00192-007-0526-2
Amaro JL, Yamamoto H, Kawano PR, Barros G, Gameiro MOO, Agostinho AD. Clinical and quality-of-life outcomes after autologous fascial sling and tension-free vaginal tape: a prospective randomized trial. Int Braz J Urol 2009;35:60-66; discussion 66-67.
Amat I Tardiu L, Martinez Franco E, Lailla Vicens JM. Contasure-Needleless® compared with transobturator-TVT for the treatment of stress urinary incontinence. Int Urogynecol J 2011;22:827-833.
Amid PK. Biomaterials for abdominal wall hernia surgery and principles of their applications. Langenbecks Arch Chir (1994) 379:168-171
Amid PK. Classification of biomaterials and their related complications in abdominal wall hernia surgery. Hernia:1997:1:15-21.
Amid PK. Classification of biomaterials and their related complications in abdominal wall hernia surgery. Hernia:1997:1:15-21.
Anderson KF, Flynn. PD50-05 - Surgical management of ICS, IUGA class 1-4 transvaginal mesh (TVM) prolapse kit complications 8-year review of 82 patients from a single center. (2015)
Andonian S, Chen T, St-Denis B, Coreas J. Randomized clinical trial comparing suprapubic arch sling (SPARC) and tension-free vaginal tape (TVT): one-year results. Eur Urol 2005;47:537-541.
Andonian S, St-Denis B, Lemieux MC, Coreas J. Prospective clinical trial comparing Obtape® and DUPS to TVT: one-year safety and efficacy results. Eur Urol 2007;52:245-251.

Medical Literature

Angioli R, Plotti F, Muzii L, Montera R, Panici PB, Zullo MA. Tension-free vaginal tape versus transobturator suburethral tape: five-year follow-up results of a prospective, randomised trial. Eur Urol 2010;58 :671-677.
Angioli R, Plotti F, Muzii L, Montera R, Panici PB, Zullo MA. Tension-free vaginal tape versus transobturator suburethral tape: five-year follow-up results of a prospective, randomised trial. Eur Urol 2010;58:671-677.
Aniuliene R. Tension-free vaginal tape versus tension-free vaginal tape obturator (inside-outside) in the surgical treatment of female stress urinary incontinence. Medicina (Kaunas). 2009;45(8):639-43.
Araco F, Gravante G, Sorge R, et al. TVT-O vs TVT: a randomized trial in patients with different degrees of urinary stress incontinence. Int Urogynecol J Pelvic Floor Dysfunct 2008;19:917-926.
Arunkalaivanan AS, Barrington JW. Randomized trial of porcine dermal sling (Pelvicol implant) vs. tension-free vaginal tape (TVT) in the surgical treatment of stress incontinence: a questionnaire-based study. Int Urogynecol J Pelvic Floor Dysfunct 2003;14:17-23; discussion 21-22.
Athanasίου S, Grigoriadis T, Kalamara E, Sotiropoulou M, Antsaklis A. Mixed urodynamic incontinence: TVT or TVT-O? Int Urogynecol J 2009;20(Suppl 2):S218.
Athanasίου S. Grigoriadis T, Zacharakis D, Skampardonis N, Lourantou D, Antsaklis A. [Pop 124, 7 yr fu] Seven years of objective and sub-jective outcomes of transobturator (TVT-O) vaginal tape: why do tapes fail? Int Urogynecol J (2014) 25:219-225
Aube M, et al. (Prolift, Elevate, Avaulta, et al.) [Pop 225, median 37 mo fu] ICS Abs 456 - Long term efficacy and patient satisfaction of pelvic organ prolapse reduction using trans-vaginal mesh. (2015)
Bachmann GA, Leiblum SR. The impact of hormones on menopausal sexuality: a literature review. Menopause 2004; 11(1): 120-130.
Bai SW, Sohn WH, Chung DJ, Park JH, Kim SK. Comparison of the efficacy of Burch colposuspension, pubovaginal sling, and tension-free vaginal tape for stress urinary incontinence. Int J Gynaecol Obstet 2005;91:246-251.
Balchandra P. [Pop 59, median 28 mo fu - product not named] Perioperative outcomes and prospective patient reported outcome measures for transvaginal mesh surgery. Arch Gynecol Obstet (2015)
Barber M. Comparison of 2 transvaginal surgical approaches and perioperative behavioral therapy for apical vaginal prolapse – The OPTIMAL randomized trial. JAMA:2014;311;1023-1034.
Barber M. Factorial comparison of 2 transvaginal surgical approaches and perioperative behavioral therapy for apical vaginal prolapse. JAMA:2014;11:1719.
Barber MD, et al. Defining Success After Surgery for Pelvic Organ Prolapse. Obstetrics & Gynecolog (Sept 2009), Vol 114, No. 3, pgs 600-609
Barber MD, et al. Sexual function in women with urinary incontinence and pelvic organ prolapse. Obstet Gynecol 2002; 99: 281-289.
Barber MD, Kleeman S, Karram MM, et al. Transobturator tape compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial. Obstet Gynecol 2008;111:611-621.
Barber MD, Weidner AC, Sokol AI, et al. Single-incision mini-sling compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial. Obstet Gynecol 2012;119:328-337.
Barry C, Lim YN, Muller R, et al. [Pop 187, 3 mo fu] [TOT] A multi-centre, randomised clinical control trial comparing the retropubic (RP) approach versus the transobturator approach (TO) for tension-free, suburethral sling treatment of urodynamic stress incontinence: the TORP study. Int Urogynecol J Pelvic Floor Dysfunct 2008;19:171-178.
Bartley J. Secondary surgery after vaginal prolapse repair with mesh is more common for stress incontinence and voiding dysfunction than for mesh problems or prolapse recurrence. Int Urol Nephrol 2015:DOI 10.1007/s11255-015-0930-3.

Medical Literature

Basu M, Duckett J. A randomised trial of a retropubic tension-free vaginal tape versus a mini-sling for stress incontinence. BJOG 2010;117:730-735.
Benbouzid S. Pelvic organ prolapse transvaginal repair by the Prolift system: evaluation of efficacy and complications after a 4.5 years follow up. Int J Urol 2012;19:1010-16.
Benson J. Vaginal versus abdominal reconstructive surgery for the treatment of pelvic support defects: A prospective randomized study with long-term outcome evaluation. Am J Obstet Gynecol 1996;175:1418-1422.
Bernasconi F. TVT SECUR System: Final results of a prospective, observational, multicentric study. Int Urogynecol J (2012) 23:93-98
Berrocal J, et al. (the TVM group) Conceptual advances in the surgical management of genital prolapse. J. Gynecol Obstet Biol Reprod. 2004;33:577-587
Berrocal J, et al. Conceptual advances in the surgical management of genital prolapse. The TVM technique emergence. J Gynecol Obstet Biol Reprod 2004; 33:577-587
Berthier. Sexual function in women following the transvaginal tension-free tape procedure for incontinence. International Journal of Gynecology and Obstetrics (2008) 102, 105-109
Bezhenar V, et al. [Pop 467. 7 yr] ICS Abs 768. 7-Year old Clinical Experience of Treating women's urinary incontinence using suburethral slings. (2013)
Bhatia N. A comparison of sexual function outcomes 1 year after undergoing a transvaginal mesh procedure using polypropylene mesh vs. hybrid polypropylene/poliglecaprone mesh. Female Pelvic Med Reconstr Surg 2012;18:S20-S21. Oral Poster 19.
Bianchi AH, Jarmy-Di Bella ZI, Castro RA, Sartori MG, Girao MJ. Randomised trial of TVT-0 and TVT-S for the treatment of stress urinary incontinence. Int Urogynecol J 2011;22(Suppl I):S62.
Bianchi-Ferraro A. Single-incision sling compared with transobturator sling for treating stress urinary incontinence: a randomized controlled trial. Int Urogynecol J (2012)
Black NA. The effectiveness of surgery for stress incontinence in women: a systematic review. British Journal of Urology (1996) 78, 497-510
Blaivas. Safety Considerations of Synthetic Sling Surgery. Nature Reviews/Urology
Bo K, Kvarstein B, Nygaard I: Lower urinary tract symptoms and pelvic floor muscle exercise adherence after 15 years. Obstet Gynecol 2005, 105(5 Pt 1):999-1005
Boukerro. Objective analysis of mechanical resistance of tension-free devices. European Journal of Obstetrics & Gynecology and Reproductive Biology 124 (2006) 240-245
Boukerrou M, et al. Study of the biomechanical properties of synthetic mesh implanted in vivo. Eur J Obstet Gynecol Reprod Biol (2007) 134:262-267
Brown. Pelvic organ prolapse surgery in the United States, 1997. Am J Obstet Gynecol (2002), Volume 186, Number 4 , pg. 712-716
Brubaker L, et al. Adverse events over two years after retropubic or transobturator midurethral sling surger: Findings from the trial of midurethral slings (TOMUS) Study. AJOG 2011;205:498.e1-6.
Brubaker L, et al. Adverse events over two years after retropubic or transobturator midurethral sling surger: Findings from the trial of midurethral slings (TOMUS) Study. Am J Obstet Gynecol 2011;205:498e.1-6
Brubaker L. 5-year Continence Rates, Satisfaction and Adverse Events of Burch Urethropexy and Fascial Sling Surgery for Urinary Incontinence. J Uro (2012) Vol. 187, 1324-1330
But I, Faganelj M. Complications and short-term results of two different transobturator techniques for surgical treatment of women with urinary incontinence: a randomized study. Int Urogynecol J Pelvic Floor Dysfunct 2008;19:857-861.
Cammu H, Van Nylen M, Blockeel C, Kaufman L, Amy JJ: Who will benefit from pelvic floor muscle training for stress urinary incontinence? Am J Obstet Gynecol 2004, 191(4):1152-1157

Medical Literature

Campeau L, Tu LM, Lemieux MC, et al. A multicenter, prospective, randomized clinical trial comparing tension-free vaginal tape surgery and no treatment for the management of stress urinary incontinence in elderly women. <i>Neurourol Urodyn</i> 2007;26:990-994.
Caquant F. Safety of transvaginal mesh procedure: retrospective study of 684 patients. <i>J. Obstet Gynaecol Res</i> ; 2008; 34:449-456.
Carey M. Vaginal repair with mesh versus colporrhaphy for prolapse; a randomized controlled trial. <i>BJOG</i> 2009;116:1380-1386.
Carey M. Vaginal surgery for pelvic organ prolapse using mesh and a vaginal support device. <i>BJOG</i> 2008;115:391-397
Caruso S, Rugolo S, Bandiera S, Mirabella D, Cavallaro A, Cianci A. Clitoral blood flow changes after surgery for stress urinary incontinence: pilot study on TVT Versus TOT procedures. <i>Urology</i> 2007;70:554-557.
Cassidenti A. The crushing of innovation for treating female pelvic floor disorders: A Story of "Lead or be Led." <i>OBG Management</i> 2016; 28(4): 9-14
Cassidenti Andrew. The Crushing of innovation for treating female pelvic floor disorders: A story of "lead or be led". <i>OBG Management</i> (2016); 28(4): 9-14.
Cervigni M, Natale F, La Penna C, et al. Surgical correction of stress urinary incontinence associated with pelvic organ prolapse: Trans-obturator approach (Monarc) versus retropubic approach (TVT). <i>Neurourol Urodyn</i> 2006;25:552.
Chaliha C & Stanton SL. Complications of surgery for genuine stress incontinence. <i>Br J Obstet Gynaecol</i> 1999; 106:1238-45
Cheng D. [Pop 103, 5 yr fu] Tension-free vaginal tape-obturator in the treatment of stress urinary incontinence: a prospective study with five-year follow-up. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 161 (2012) 228-231
Cheng, D. Tension-free vaginal tape-obturator in the treatment of stress urinary incontinence: a prospective study with five-year follow-up. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 161 (2012) 228-231
Choe J, Kim J, Na Y, Lee J, Seo J. Comparative study of tension-free vaginal tape (TVT) and suprapubic arc (SPARC) sling procedure for female stress urinary incontinence. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2005;16:S68.
Cholhan H. Dyspareunia association with paraurethral banding in the transobturator sling. <i>Am J Obstet Gynecol</i> 2010;202:481.e1-5.
Chughtai B. Midurethral Sling Is the Dominant Procedure for Female Stress Urinary Incontinence: Analysis of Case Logs From Certifying American Urologists. <i>UROLOGY</i> 2013
Chughtai BI. Midurethral Sling Is the Dominant Procedure for Female Stress Urinary Incontinence: Analysis of Case Logs From Certifying American Urologists. <i>Urology</i> . 2013 Oct 15. doi:pii: S0090-4295(13)00963-1. 10.1016/j.urology.2013.07.040. (Epub ahead of print)
Claerhout F, et al. Medium-term anatomic and functional results of laparoscopic sacrocolpopexy beyond the learning curve. <i>European Urology</i> 55 (2009), 1459-1468.
Clark A. Epidemiologic evaluation of reoperation for surgically treated pelvic organ prolapse and urinary incontinence. <i>Am J Obstet Gynecol</i> 2003;189:1261-7
Clave A, et al. Polypropylene as a reinforcement in pelvic surgery is not inert: comparative analysis of 100 explants. <i>Int Urogynecol J</i> (2010) 21:261-270.
Clemson JL, et al. Impact of the 2011 FDA Transvaginal Mesh Safety Update on AUGS Members' use of synthetic mesh and biologic grafts in pelvic reconstructive surgery. <i>Female Pelvic Med Reconstr Surg</i> 2013; 19: 191-198.
Coady D. Chronic sexual pain. A layered guide to evaluation. <i>Contemporary Ob/Gyn</i> , September 2015, pp. 18-28.

Medical Literature

Collinet P. et al. The Safety of the Inside-Out Transobturator approach for transvaginal tape (TVT-O) treatment in stress urinary incontinence: French registry data on 984 women. <i>Int Urogynecol J</i> (2008) 19:711-715
Collinet P. The safety of the inside-out transobturator approach for transvaginal tape (TVT-O) treatment in stress urinary incontinence: French registry data on 984 women. <i>Int Urogynecol J</i> (2008) 19:711-715
Colombo M, Vitobello D, Bulletti C, Poggi C. Randomized study to compare pereyra and TVT procedures for women with stress urinary incontinence and advanced urogenital prolapse. <i>Urogynaecol Int J</i> 2005;19:177-81.
Cornu J. Midterm Prospective Evaluation of TVT-Secur Reveals High Failure Rate. <i>European Urology</i> 58 (2010) 157-161
Cosson M, et al. Prolift (Mesh (Gynecare) for Pelvic Organ Prolapse Surgical Treatment: Using the TVM Group Technique: A Retrospective Study of 687 Patients. <i>ICS Abstract</i> (2005), pgs. 590-591
Cosson M. Mechanical properties of synthetic implants used in the repair of prolapse and urinary incontinence in women: which is the ideal material? <i>Int Urogynecol J</i> (2003) 14: 169 178
Costantini. [Pop 87, median 100 mos fu] Long-term efficacy of the trans-obturator and retropubic MUS for SUI: update from a randomized clinical trial; <i>World J Urol</i> , DOI 10.1007/s00345-015-1651-z, 2015
Cox A, Herschorn S, Lee L. [Nat Rev Urol] Surgical management of female SUI: is there a gold standard? <i>Nat Rev Urol</i> . 2013 Feb;10(2):78-89.
Cox A, Herschorn S, Lee L. Surgical management of female SUI: is there a gold standard? <i>Nat Rev Urol</i> . 2013 Feb;10(2):78-89.
Cresswell J, et al. [pop 118, mean 6.6 yrs fu] Long-term evaluation of tension-free vaginal tape (TVT) outcomes for a UK Surgeon: Objective assessment and patient satisfaction questionnaires. <i>British Journal of Medical and Surgical Urology</i> (2008) 1, 58-62.
Da Silveira S. Multicenter, randomized trial comparing native vaginal tissue repair and synthetic mesh repair for genital prolapse surgical treatment. <i>Int Urogynecol J</i> 2014.
Damoiseaux A, et al. [IUGA Abs PP 01] Long-term follow-up (7 years) of a randomized controlled trial. Trocar guided mesh compared with conventional vaginal repair in recurrent pelvic organ prolapse. <i>Int Urogynecol J</i> (2015) 26 (Suppl 1): S23-S174
Dandolu V, Pathak P. [IUGA Abs PP 37] Mesh complications in U.S. after transvaginal mesh repair versus abdominal or laparoscopic sacrocolpopexy. <i>Int Urogynecol J</i> (2015) 26 (Suppl 1): S23-S174
Darai E. Functional Results After the Suburethral Sling Procedure for Urinary Stress Incontinence: A Prospective Randomized Multicentre Study Comparing the Retropubic and Transobturator Routes. <i>EUROPEAN UROLOGY</i> 51 (2007) 795-802
Dati S et al. Prolift vs. Avaulta for transvaginal repair of severe pelvic prolapse. (2008)
Davila GW. Pelvic Floor Dysfunction Management Practice Patterns: A Survey of Members of the International Urogynecological Association. <i>Int Urogynecol J</i> (2002) 13:319-325
De Landsheere L. Surgical intervention after transvaginal Prolift mesh repair: retrospective single-center study including 524 patients with 3 years' median follow up. <i>Am J Obstet Gyneol</i> 2012;206:83.e1-7.
de Leval J, Thomas A, Waltregny D. The original versus a modified inside-out transobturator procedure: 1-year results of a prospective randomized trial. <i>Int Urogynecol J</i> 2011;22:145-156.
de Leval J. Novel Surgical Technique for the Treatment of Female Stress Urinary Incontinence: Transobturator Vaginal Tape Inside-Out. <i>Eur Urol</i> . 2003 Dec;44(6):724-30
de Oliveira L, Girao MJ, Sartori MG, Castro RA, Fonseca E. Comparison of retro-pubic TVT, pre-pubic TVT and TVT transobturator in surgical treatment of women with stress urinary incontinence. <i>Int Urogynecol J</i> 2007;18(Suppl 1):S180-S181.
De Souza A. Sexual function following retropubic TVT and transobturator Monarc sling in women with intrinsic sphincter deficiency: a multicentre prospective study. <i>Int Urogynecol J</i> . 2012 Feb;23(2):153-8

Medical Literature

de Tayrac R, Droupy S, Calvanese L, and Fernandez H. A prospective randomized study comparing TVT and transobturator suburethral tape (T.O.T.) for the surgical treatment of stress incontinence. ICS 2003:Abstract 344.
Debodinance P. Trans-obturator urethral sling for the surgical correction of female stress urinary incontinence: Outside-in (Monarc) versus inside-out (TVT-O) are the two ways reassuring? European Journal of Obstetrics & Gynecology and Reproductive Biology 133 (2007) 232-238
Deffieux X. Transobturator TVT-O versus retropubic TVT: results of a multicenter randomized controlled trial at 24 months follow-up. Int Urogynecol J (2010) 21:1337-1345
Demirci F, et al. Long-term results of Burch colposuspension Gynecol Obstet Invest 2001; 51:243-247
Demirci, Fuat. Perioperative complications in abdominal sacrocolpopexy sacrospinous ligament fixation and prolift procedures. Balkan Med J 2014; 31:158-63 (2014)
Denis S. Pelvic organ prolapse treatment by the vaginal route using a Vypro composite mesh: preliminary results about 106 cases. Abs 620 (2004)
Dennerstein L, et al. The menopause and sexual functioning: A review of the population-based studies. (2003)
deTayrac R. A prospective randomized trial comparing tension-free vaginal tape and transobturator suburethral tape for surgical treatment of stress urinary incontinence. American Journal of Obstetrics and Gynecology (2004) 190, 602e8
Dietz H. TVT vs Monarc: a comparative study. Int Urogynecol J (2006) 17: 566-569
Dietz HP, et al. [Pop 68, median 1.6 yrs fu] Does the Tension-Free Vaginal tape stay Where you Put It? Am J Obstet Gynecol 2003; 188:950-3
Dietz HP, et al. Mechanical properties of urogynecologic implant materials. Int Urogynecol J (2003) 14:239-243.
Dietz HP. Mechanical properties of urogynecologic implant materials. Int Urogynecol J (2003) 14: 239-243.
Dietz V. Pelvic organ prolapse and sexual function. Int Urogynecol J; 2013;24:1853-1857.
Diwadkar G. Complication and reoperation rates after apical vaginal prolapse surgical repair. Obstet Gynecol 2009;113:367-73.
Diwadkar, G. Complication and reoperation rates after apical vaginal prolapse surgical repair. Obstet Gynecol 2009;113:367-73
Dmochowski R, Blaivas. (AUA Guidelines) Update of AUA Guideline on the Surgical Management of Female Stress Urinary Incontinence. J Uro, Vol. 183, 1906-1914, May 2010
Dooley. Urinary Incontinence Prevalence: Results from the National Health and Nutrition Examination Survey. (2008)
Drahoradova P, Maata J, Martan A, Svabfk K. Comparative development of quality of life between TVT and Burch colposuspension. ICS 2004:Abstract 278.
Drutz H. IUGA guidelines for training in female pelvic medicine and reconstructive pelvic surgery (FPM-RPS). Updated Guildelines 2010. Int Urogynecol K=J 2010; 21: 1445-1453.
Dyrkorn OA, Kulseng-Hanssen S, Sandvik L. TVT compared with TVT-O and TOT: Results from the Norwegian National Incontinence Registry; Int Urogynecol J (2010) 21:1321-1326.
El-Barky E, El-Shazly A, El-Wahab OA, Kehinde EO, Al-Hunayan A, Al-Awadi KA. Tension free vaginal tape versus Burch colposuspension for treatment of female stress urinary incontinence. Int Urol Nephrol 2005;37:277-281.
El-Hefnawy AS, Wadie BS, El Mekresh M, Nabeeh A, Bazeed MA. TOT for treatment of stress urinary incontinence: how should we assess its equivalence with TVT? Int Urogynecol J 2010;21:947-953.
Elmer C, et al. Risk factors for mesh complications after trocar guided transvaginal mesh kit repair of anterior vaginal wall prolapse. Neurourol Urodyn. 2012 Sep;31(7):1165-9

Medical Literature

Elmer C, et al. Trocar-Guided Transvaginal Mesh Repair of Pelvic Organ Prolapse. <i>Obstet Gynecol</i> (2009) 113: 117-26.
Elmer. Histological inflammatory response to transvaginal polypropylene mesh for pelvic reconstructive surgery. <i>The Journal of Urology</i> , Vol. 181, 1189-1195, March 2009
Elzevier H. Female Sexual Function after Surgery for Stress Urinary Incontinence: Transobturator Suburethral Tape vs. Tension-Free Vaginal Tape Obturator. <i>J Sex Med</i> 2008;5:400-406
Falconer C, Ulmsten U. Influence of Different Sling Materials on Connective Tissue Metabolism in Stress Urinary Incontinent Women. <i>Int Urogynecol J</i> (2001) (Suppl 2): S19-S23
Falconer C. Clinical Outcome and Changes in Connective Tissue Metabolism After Intravaginal Slingplasty in Stress Incontinence Women. <i>Int Urogynecol J</i> 1996; 7: 133-137
Falconer C. Clinical Outcome and Changes in Connective Tissue Metabolism After Intravaginal Slingplasty in Stress Incontinent Women. <i>Int Urogynecol J</i> (1996) 7:133-137
Fatton B, Cosson. Transvaginal repair of genital prolapse: preliminary results of a new tension-free vaginal mesh (Prolift technique) -a case series multicentric study. <i>Int Urogynecol J</i> (2007) 18:743-752
Feiner, et al. Efficacy and safety of transvaginal mesh kits in the treatment of prolapse of the vaginal apex: a systematic review. <i>BJOG</i> (2008) 116: 15-24.
Fialkow M. Incidence of recurrent pelvic organ prolapse 10 years following primary surgical management: a retrospective cohort study. <i>Int Urogynecol J</i> : 2008;19:1483-1487.
Finnegan S. Clinical outcome of the first cases of the TVT secur in the UK: TVT Obturator system versus TVT Secur: a randomized controlled trial, short term results. (Abstract Only)
Firoozi F. Short and intermediate-term complications of the Prolift transvaginal mesh procedure. <i>Int Urogynecol J</i> 2009;3:S283.
Fischerlehner G. TVT-Secur System: One Year experience (Abstract Only)
Flood CG, et al. Anterior colporrhaphy reinforced with Marlex mesh for the treatment of cystoceles. <i>Int Urogynecol J</i> 1998; 9:200-204.
Ford AA, et al. (Cochrane Review[FULL]) Mid-urethral sling operations for stress urinary incontinence in women. <i>The Cochrane Library</i> 2015, Issue 7
Ford AA. (Summary Cochrane Review) Mid-urethral sling operations for stress urinary incontinence in women (review). (2015)
Ford AA. Mid-urethral sling operations for stress urinary incontinence in women (Review); <i>The Cochrane Collaboration</i> 2015
Francis W. Dyspareunia following vaginal operations. <i>Journal of Obstet & Gynecol British Commwlth</i> ; 1961:LXVIII;1-10.
Freeman R, Holmes D, Hillard T, et al. What patients think: patient-reported outcomes of retropubic versus trans-obturator mid-urethral slings for urodynamic stress incontinence-a multi-centre randomised controlled trial. <i>Int Urogynecol J</i> 2011;22:279-286.
Friedman M. TVT-O vs TVT-S: first randomized, prospective, comparative study of intraoperative complications, perioperative morbidity and one year postoperative results. <i>J Pelvic Med Surg</i> 2009;15:48.
Fuentes AE. A prospective randomised controlled trial comparing vaginal prolapse repair with and without tensionfree vaginal tape transobturator tape (TVT-O) in women with severe genital prolapse and occult stress incontinence: long term follow up. <i>Int Urogynecol J</i> 2011;22(Suppl I):S60-S61.
Fultz. Burden of Stress Urinary Incontinence for Community-Dwelling Women. (2003)
Gandhi S. TVT versus SPARC: comparison of outcomes for two midurethral tape prodecures. <i>Int Urogynecol J</i> (2006) 17: 125-130
Ganj FA, et al. Complications of transvaginal monofilament polypropylene mesh in pelvic organ prolapse repair. <i>Int Urogynecol J</i> (2009) 20:919-925

Medical Literature

Garcia-Porrua C, et al. Rapid response to intravenous corticosteroids in osteitis pubis after Marshall-Marchetti-Krantz urethropexy. <i>Rheumatology</i> 2000; 39:1048-1049.
Ghezzi F. Impact of tension-free vaginal tape on sexual function: results of a prospective study. <i>Int Urogynecol J</i> (2005) 17: 54-59
Ghezzi, F. Impact of tension-free vaginal tape on sexual function: results of a prospective study. <i>Int Urogynecol J</i> (2005) 17: 54–59
Ghezzi, F. Influence of the type of anesthesia and hydrodissection on the complication rate after tension-free vaginal tape procedure. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 118 (2005) 96-100
Gilpin SA. The pathogenesis of genitourinary prolapse and stress incontinence of urine. A histological and histochemical study. <i>British J Ollmal of Obstetrics and Gynaecology</i> January 1989, Vol. 96, pp. 15-23
Glatt A. The prevalence of dyspareunia. <i>Obstet & Gynecol</i> ; 1990;75:433-436.
Glavind K and Shim Susy. Incidence and treatment of postoperative voiding dysfunction after the tension-free vaginal tape procedure. <i>Int Urogynecol J</i> . June 2015.
Glavind. Sexual function in women before and after suburethral sling operation for stress urinary incontinence: a retrospective questionnaire study. <i>Acta Obstet Gynecol Scand</i> 2004: 83: 965-968
Goode PS, Burgio KL, Locher JL, Roth DL, Umlauf MG, Richter HE, Varner RE, Lloyd LK: Effect of behavioral training with or without pelvic floor electrical stimulation on stress incontinence in women: a randomized controlled trial. <i>JAMA</i> 2003, 90(3):345-352
Greer WJ. Obesity and pelvic floor disorders: a systematic review. <i>Obstet Gynecol</i> . 2008 Aug;112(2 Pt 1):341-9
Groutz A, Rosen G, Cohen A, Gold R, Lessing JB, Gordon D. [Pop 52, 10 yr fu] Ten-year subjective outcome results of the retropubic tension-free vaginal tape for treatment of stress urinary incontinence. <i>J Minim Invasive Gynecol</i> (2011) 18:726-729
Groutz A, Rosen G, Cohen A, Gold R, Lessing JB, Gordon D. Pop 52, 10 yr fu] Ten-year subjective outcome results of the retropubic tension-free vaginal tape for treatment of stress urinary incontinence. <i>J Minim Invasive Gynecol</i> (2011) 18:726-729
Groutz A. [Pop 61, 5 yr fu] Long-Term Outcome of Transobturator Tension-Free Vaginal Tape: Efficacy and Risk Factors for Surgical Failure. <i>Journal of Women’s Health</i> , Volume 20, Number 10, 2011 1525-1528
Groutz. “Inside Out” Transobturator Tension-free Vaginal Tape for Management of Occult Stress Urinary Incontinence in Women Undergoing Pelvic Organ Prolapse Repair. (2010)
Guerrero KL. A randomised controlled trial comparing TVT Pelvicol and autologous fascial slings for the treatment of stress urinary incontinence in women. <i>BJOG</i> 2010;117:1493-1503
Gupta, Sirls, et al. [AUA Abs PD20-08] The impact of comorbid chronic pain syndromes on sexual activity and dyspareunia after pelvic organ prolapse repair. (2015)
Haase P, Skibsted L. Influence of operations for stress incontinence and/or genital descensus on sexual life. <i>Acta Obstet Gynecol Scand</i> 1988; 67:659-661.
Halaska M. A multicenter, randomized, prospective, controlled study comparing sacrospinous fixation and transvaginal mesh in the treatment of posthysterecotmy vaginal vault prolapse. <i>Am J Obstet Gynecol</i> 2012;207:301.e1-7.
Hamer M. One-year results of a prospective randomized, evaluator-blinded, multicenter study comparing TVT and TVT Secur. <i>Int Urogynecol J</i> (2013) 24:223-229
Hamer MA, Larsson PG, Teleman P, Eten-Bergqvist C, Persson J. Short-term results of a prospective randomized evaluator blinded multicenter study comparing TVT and TVT-Secur. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2011;22:781-787.
Han JY, Effectiveness of retropubic tension-free vaginal tape and transobturator inside-out tape procedures in women with overactive bladder and stress urinary incontinence. <i>Int Neurourol J</i> . 2013 Sep;17(3):145-51

Medical Literature

Han J-Y, Park J, Choo M-S. [Pop 88, 12 yr fu] Long-term durability, functional outcomes, and factors associated with surgical failure of tension-free vaginal tape procedure. Int Urol Nephrol (2014) 46:1921-1927
Han, Ji-Yeon. Efficacy of TVT-Secur and factors affecting cure of female stress urinary incontinence: 3-year follow-up. Int Urogynecol J (2012) 23:1721-1726
Handa VL, Zyczynski HM, Brubaker L, et al. Sexual function before and after sacrocolpopexy for pelvic organ prolapse. Am J Obstet Gynecol 2007;197:629.e1-6.
Hansen, Gradel. [Danish Registry] Reoperation for urinary incontinence-a nationwide cohort study, 1998 thru 2007; Am J Obstet Gynecol 2016;214:263.e1-8
Hardiman P, et al. Cystocele repair using polypropylene mesh. Br J Obstet Gynaecol 107, 813-830.
Heinonen P, et al. [Pop 161, Median 7 yr fu] IUGA Abs OP 093 - Long-term outcome after transvaginal mesh repair of pelvic organ prolapse. Int Urogynecol J (2015) 26 (Suppl 1): S23-S174
Heinonen P. [Pop 191, mean 10.5 yrs fu] Tension-free vaginal tape procedure without preoperative urodynamic examination: Long-term outcome. Int J Urol 2012; 19:1003-1009
Hellberg D. The very obese woman and the very old woman: tensionfree vaginal tape for the treatment of stress urinary incontinence. Int Urogynecol J (2007) 18:423-429
Hendrix S. Pelvic organ prolapse in the Women's Health Initiative: Gravity and gravidity. Am J Obstet Gynecol, (2002) Volume 186, Number 6
Higgs P, et al. Abdominal sacral colpopexy: an independent prospective long-term follow-up study. Australian and New Zealand Journal of Obstetrics and Gynaecology 2005; 45:430-434.
Hiltunen R, et al. Low-Weight Polypropylene Mesh for Anterior Vaginal Wall Proplapse. Obstet Gynecol 2007; 110:455-462.
Hinoul P, Vervest HAM, den Boon J, et al. A randomized, controlled trial comparing an innovative single incision sling with an established transobturator sling to treat female stress urinary incontinence. J Urol 2011;185:1356-1362.
Hinoul P, Vervest HAM, Venema P, Den Boon J, Milani A, Roovers J. TVT obturator system versus TVT Secur: a randomized controlled trial, short term results. Int Urogynecol J Pelvic Floor Dysfunct 2009;20:S213.
Hinoul P. A Randomized, Controlled Trial Comparing an Innovative Single Incision Sling With an Established Transobturator Sling to Treat Female Stress Urinary Incontinence. J Urology (April 2011) Vol. 185, 1356-1362
Hinoul P. An anatomic comparison of the original versus a modified inside-out transobturator procedure. Int Urogynecol J (2011) 22:997-1004
Hinoul P. Anatomical variability in the trajectory of the inside-out transobturator vaginal tape technique (TVT-O). Int Urogynecol J (2007) 18:1201-1206
Hinoul P. Surgical management of urinary stress incontinence in women: A historical and clinical overview. European Journal of Obstetrics & Gynecology and Reproductive Biology 145 (2009) 219-225
Holley RL, et al. Sexual function after sacrospinous ligament fixation for vaginal vault prolapse. J Reprod Med 1996; 41:355-358.
Holmgren C. Frequency of de novo urgency in 463 women who had undergone the tension-free vaginal tape (TVT) procedure for genuine stress urinary incontinence - A long-term follow-up. European Journal of Obstetrics & Gynecology and Reproductive Biology 132 (2007) 121-125
Holmgren CG. Long-Term Results with Tension-Free Vaginal Tape on Mixed and Stress Urinary Incontinence. Obstetrics & Gynecology, VOL. 106, NO. 1, JULY 2005, 38-43
Holmgren S, Nilsson. [Pop 760, 8 yr fu] Long-Term Results with Tension-Free Vaginal Tape on Mixed and Stress Urinary Incontinence. Obstetrics & Gynecology; Vol. 106, No. 1, July 2005
Horbach NS, Ostergard DR, Bent AE, et al. A Suburethral Sling Procedure with Polytetrafluoroethylene for the incontinence in patients with low urethral closure pressure. Obstet Gynecol 1988; 71:648-652

Medical Literature

Hota L. TVT-Secur (Hammock) Versus TVT-Obturator: Randomized Trial of Suburethral Sling Operative Procedures. Female Pelvic Medicin and Reconstructive Surgery (Jan/ Fed 2012) 18:1, p. 41-45
Hota LS, Hanaway KJ, Hacker MR, et al. TVT-secur (Hammock) versus TVT-obturator: a randomized trial of suburethral sling operative procedures. Female Pelvic Med Reconstr Surg 2010;16:S87.
Houwert RM, Renes-Zijl C, Vos MC, Vervest HA. TVT-O versus Monarc after a 2-4-year follow-up: a prospective comparativestudy. Int Urogynecol J (2009) 20:1327-1333
Hwang E. Predictive factors that influence treatment outcomes of innovative single incision sling: comparing TVT-Secur to an established transobturator sling for female stress urinary incontinence. Int Urogynecol J (2012) 23:907-912
Iglesia C. Vaginal Mesh for Prolapse: A Randomized Controlled Trial. OBSTETRICS & GYNECOLOGY, 116:2:1, August 2010
Jacquetin B et al. Total transvaginal mesh technique for treatment of pelvic organ prolapse: a 3-year prospective follow-up study. Int Urogynecol J (2010) 21: 1455-1462
Jacquetin B. Total transvaginal mesh (TVM) technique for treatment of pelvic organ prolapse: 1 5-year prospective follow-up study. Int Urogynecol J 2013. DOI 10.1007/s00192-013-2080-4
Jacquetin B. Complications of vaginal mesh: our experience. Int Urogynecol J (2009) 20:893-896
Jacquetin et al. (Abstract) Prospective Clinical Assessment of the Trans Vaginal Mesh Technique for Treatment of Pelvic Organ Prolapse - One Year Results of 175 Patients. (2006)
Jacquetin, Cosson. [Pop 2,078] Complications of vaginal mesh: our experience. Int Urogynecol J 2009; 20: 893-896.
Jacquetin, Cosson. Total transvaginal mesh (TVM) technique for treatment of pelvic organ prolapse a 3 year prospective follow up study. Int Urogynecol J (2010) 21:1455-1462
Jacquetin. Transvaginal Mesh: A 5 year prospective follow-up study. Int Urogynecol J (2013)
Jain P, Jirschele K, Botros SM, Latthe PM. Effectiveness of midurethral slings in mixed urinary incontinence: a systematic review and meta-analysis. Int Urogynecol J. 2011;22:923-932
Jarmy-Di Bella ZI, Bianchi AM, Castro RA, Iwata M, Sartori MG, Girao MJ. Randomised trial ofTVT-0 and TVT-S for the treatment of stress urinary incontinence. preliminary study. Int Urogynecol J 2009;20:S176-S7.
Jelovsek J, et al. [Pop 72, mean 62 mos fu] Randomized trial of laparoscopic Burch colposuspension versus tension-free vaginal tape: long-term follow up. BJOG 2008; 115: 219-225.
Jelovsek J. Randomised trial of laparoscopic Burch colposuspension versus tension-free vaginal tape: long-term follow up. BJOG 2008;115:219-225.
Jha. Impact of Incontinence Surgery on Sexual Function: A Systematic Review and Meta-Analysis. J Sex Med 2012; 9:34-43
Jonsson Funk M. Sling Revision/ Removal for Mesh Erosion and Urinary Retention: Long-Term Risk and Predictors. Am J Obstet Gynecol. 2013; 208(1): 73.e1-73.e7
Juang C-M, Yu K-J, Chou P, et al. Efficacy analysis oftrans-obturator tension-free vaginal tape (TVT-0) plus modified Ingelman-Sundberg procedure versus TVT-0 alone in the treatment of mixed urinary incontinence: a randomized study. Eur Urol 2007;51:1671-1678; discussion 1679.
Jung HC, Kim JY, Lim HS, et al. Three-year outcomes of the IRIS procedure for treatment of female stress urinary incontinence: comparison with TVT procedure. Eur Urol Suppl 2007;6:231.
Kaelin-Gambirasio I. Complications associated with transobturator sling procedures: analysis of 233 consecutive cases with a 27 months follow-up. BMC Women's Health 2009, 9:28
Kahn M. Posterior colporrhaphy: its effects on bowel and sexual function. British Journal of Obstet & Gynacol; 1997;104:82-86.
Kammerer-Doak DN, et al. Osteitis pubis after Marshall-Marchetti-Krantz urethropexy: A pubic osteomyelitis. AJOG 1998; 179:586-90.

Medical Literature

Kaplan SA, et al. Comparison of fascial and vaginal wall slings in the management of intrinsic sphincter deficiency. Urology 1996; 47:885-889.
Karateke A, Haliloglu B, Cam C, Sakalli M. Comparison of TVT and TVT-O in patients with stress urinary incontinence: short-term cure rates and factors influencing the outcome. A prospective randomized study. Australian NZ J Obstet Gynaecol 2009;49:99-105.
Karlovsky M. Synthetic Biomaterials for Pelvic Floor Reconstruction. Current Urology Report 2005; 6:376-384
Karram M. Complications and Untoward Effects of the Tension-Free Vaginal Tape Procedure. The American College of Obstetricians and Gynecologists (2003) Vol. 101, No. 5, Part 1
Karram M. Surgery for posterior vaginal wall prolapse. Int Urogynecol J; 2013;24:1835-1841.
Kenton K, Zyczynski H, Sirls LT, Richter HE, et al. (TOMUS published) 5-Year Longitudinal Followup after Retropubic and Transobturator Mid-urethral slings. The Journal of Urology, Vol. 193, 203-210, January 2015.
Kersey J. The gauze hammock sling operation in the treatment of stress incontinence. British Journal of Obstetrics & Gynecology 1983; 90:945-949.
Khandwala S, et al. Transvaginal mesh Surgery for Pelvic Organ Prolapse: One-Year Outcome Analysis. Female Pelvic Medicine & Reconstructive Surgery. March/April 2013; 19(2): 84-89.
Khandwala S. Experience with TVT-Secur sling for stress urinary incontinence: a 141-case analysis. Int Urogynecol J (2010) 21:767-772
Khandwala S. Transvaginal mesh surgery for pelvic organ prolapse: one year outcome analysis. Female Pelvic Med Reconstr Surg 2013; 19: 84-89
Khandwala. [ICS Abstract 571] Clinical Outcomes Of An Observational Registry Utilizing A Trocar-Guided Mesh Repair Of Vaginal Prolapse Using Partially Absorbable Mesh (Proxima). (2010)
Khandwala. [ICS Abstract 571] clinical outcomes of an observational registry utilizing a trocar-guided mesh repair of vaginal prolapse using partially absorbable mesh. (2011)
Kim D, Jang HC. Randomized control study of Monarc® vs. tension-free vaginal tape obturator (TVT-0®) in the treatment of female urinary incontinence in: comparison of medium term cure rate. Int Urogynecol J 2010;21(Suppl I):S319-S20.
Kim JJ, Lee Y-S, Seo JT, et al. Comparison of the efficacy of TVT and TVT-O on the overactive bladder symptoms in women with stress urinary incontinence. J Urol Suppl 2009;181:560.
Kim JY, Jung HC, Moon KH, Park TC, Kim DY, Park CH. Comparisons of IRIS, TVT and SPARC procedure for stress urinary incontinence. Eur Urol Suppl 2004;3:80.
Kim, Jung Jun. Randomized Comparative Study of the U-and H-type Approaches of the TVT-Secur Procedure for the Treatment of Female Stress Urinary Incontinence: One Year Follow-Up. Korean J Urol 2010;51:250-256
King A. Is there an association between polypropylene midurethral slings and malignancy. Urology 84: 789-792, 2014
Kirby A. Midurethral slings: which should I choose and what is the evidence for use? Curr Opin Obstet Gynecol 2015; 27: 359-365
Kjohede P. Long-term Efficacy of Burch Colposuspension: A 14-year Follow-up Study. Acta Obstet Gynecol Scand 2005; 84: 767-772.
Klinge U. Alloplastic Implants for the Treatment of Stress Urinary Incontinence and Pelvic Organ Prolapse. Hernia Repair Sequelae, Ch. 56, 440-444
Klinge U. Demands and Properties of the Alloplastic Implants for the Treatment of Stress Urinary Incontinence. Expert Rev. Med. Devices 4(3), 349-359 (2007)
Kobashi K. Erosion of woven Polyester Pubovaginal Sling. J Urology, Vol. 162, 2070-2072, December 1999

Medical Literature

Kocjancic E, Costantini E, Frea B, et al. Tension free vaginal tape vs. trans obturator tape: is there any difference in the mixed incontinence patients? Results of a multicentre randomised trial. <i>Eur Urol Suppl</i> 2008;7:123.
Koelbl H, Halaska M, Ostermann S, Lautenschlaeger C, Petri E. Burch colposuspension and TVT: Perioperative results of a prospective randomized trial in patients with genuine stress incontinence. <i>Neuraural Uradyn</i> 2002;21:327.
Kolle D. Bleeding Complications With The Tension-Free Vaginal Tape Operation. <i>American Journal of Obstetrics and Gynecology</i> (2005) 193. 2045-9
Komesu Y. Posterior repair and sexual function. <i>AJOG</i> :2007;54:101-103.
Kondo A, I so be Y, Kimura K, et al. Efficacy, safety and hospital costs of tension-free vaginal tape and pubovaginal sling in the surgical treatment of stress incontinence. <i>J Obstet Gynaecol Res</i> 2006;32:539- 544.
Kozal S. Morbidity and functional mid-term outcomes using Prolift pelvic floor repair systems. <i>Can Urol Assoc J</i> 2014;8(9-10):e605-9.
Krofta L, Feyereisl J, Otcenasek M, Velebil P, Kasikova E, Krcmar M. TVT and TVT-O for surgical treatment of primary stress urinary incontinence: prospective randomized trial. <i>Int Urogynecol J</i> 2010;21:141-148.
Krofta L. TVT-S for surgical treatment of stress urinary incontinence: prospective trial, 1-year follow-up. <i>Int Urogynecol J</i> (2010) 21:779-785
Kuhn A, et al. Sexual function after suburethral sling removal for dyspareunia. <i>Surg Endosc</i> (2009) 23:765-768
Kulseng-Hanssen S. Follow-up of TVT Operations in 1,113 women with mixed urinary incontinence at 7 and 38 months. <i>Int Urogynecol J</i> (2008) 19:391-396
Kuuva N, Nilsson. [Pop 1455, 2 mo fu] A nationwide analysis of complications associated with the tension-free vaginal tape (TVT) procedure. <i>Acta Obstet Gynecol Scand</i> 2002; 81: 72-77
Labrie J, et al. Protocol for Physiotherapy Or TVT Randomised Efficacy Trial (PORTRET): a multicentre randomized controlled trial to assess the cost-effectiveness of the tension free vaginal tape versus pelvic floor muscle training in women with symptomatic moderate to severe stress urinary incontinence. <i>BMC Womens Health</i> . 2009;9:24
Labrie, Julien. Surgery versus Physiotherapy for Stress Urinary Incontinence. <i>N Engl J Med</i> (2013) 369:12, 1124-33.
Lamers BH, Vaart CH van der. [Pop 187, 12 mo fu] Medium-term efficacy of pelvic floor muscle training for female urinary incontinence in daily practice. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2007, 18(3):301-307
Lammerink, E. Short-term outcome of TVT-Secur (Abstract Only)
Lane F. Repair of Posthysterectomy vaginal-vault prolapse. <i>Obstet & Gynecol</i> . 1962;20:72-77.
Lara LA, et al. The effects of Hypoestrogenism on the vaginal wall: Interference with the normal sexual response. <i>J Sex Med</i> 2009; 6:30-39.
Latthe P. Two routes of transobturator tape procedure in stress urinary incontinence: a meta-analysis with direct and indirect comparison of randomized trials. <i>BJUI</i> (2009) 106 , 68-76
Latthe PM. Transobturator and retropubic tape procedures in stress urinary incontinence: a systematic review and meta-analysis of effectiveness and complications. <i>BJOG</i> 2007;114:522-531.
Laurikainen E, Takala T, Aukee P, et al. Retropubic TVT compared with transobturator TVT (TVT-O) in treatment of stress urinary incontinence: five-year results of a randomized trial. <i>Neuraural Uradyn</i> 2011;30:803-805.
Laurikainen E, Valpas A, Aukee P, Kivelä A, Rinne K, Takala T, Nilsson CG. [Pop 254, 5 yr fu] Five-year results of a randomized trial comparing retropubic and transobturator midurethral slings for stress incontinence. <i>Eur Urol</i> (2014) 65:1109-1114

Medical Literature

Laurikainen E. Retropubic Compared With Transobturator Tape Placement in Treatment of Urinary Incontinence. J Obstet Gynecol 2007;109:4-11
Laurikainen E. TVT Obturator system versus TVT Secur: a randomized controlled trial, short term results. Obstet Gynecol 2007; 109:4-11
Laurikainen, E. Five-year Results of a Randomized Trial Comparing Retropubic an Transobturator Midurethral Slings for Stress Incontinence. Eur Urol 2014; http://dx.doi.org/10.1016/j.eururo.2014.01.031
Lee KS, Choo M-S, Lee YS, et al. Prospective comparison of the 'inside-out' and 'outside-in' transobturator-tape procedures for the treatment of female stress urinary incontinence. Int Urogynecol J Pelvic Floor Dysfunct 2008;19:577-582.
Lee K-S, Han DH, Choi YS, et al. A prospective trial comparing tension-free vaginal tape and transobturator vaginal tape inside-out for the surgical treatment of female stress urinary incontinence: 1-year followup. J Urol 2007;177:214-218.
Lee, Kyu-Sung. A Prospective Multicenter Randomized Comparative Study Between the U-and H-type Methods of the TVT Secur Procedure for the Treatment of Female Stress Urinary Incontinence: 1-Year Follow-up. EUROPEAN UROLOGY 57 (2010) 973-979
Leval J. The original versus a modified inside-out transobturator procedure: 1-year results of a prospective randomized trial. Int Urogynecol J (2011) 22:145-156
Li B, Zhu L, Lang JH, Fan R, et al. [Pop 55, 7 yr fu] Long-term outcomes of the tension-free vaginal tape procedure for female stress urinary incontinence: 7-year follow-up in China. J Minim Invasive Gynecol. 2012 Mar-Apr;19(2):201-5.
Liapis A, Bakas P, Christopoulos P, Giner M, Creatsas G. Tension-free vaginal tape for elderly women with stress urinary incontinence. Int J Gynaecol Obstet 2006;92:48-51.
Liapis A, Bakas P, Creatsas G. [Pop 115, 4 yr fu] Efficacy of inside-out transobturator vaginal tape (TVTO) at 4 years follow-up. Eur J Obstet Gynecol Reprod Biol (2010) 148:199-201
Liapis A, Bakas P, Creatsas G. [Pop 65, 5 & 7 yr fu] Long-term efficacy of tension-free vaginal tape in the management of stress urinary incontinence in women: efficacy at 5- and 7-year follow-up. Int Urogynecol J Pelvic Floor Dysfunct (2008) 19:1509-1512
Liapis A, Bakas P, Creatsas G. Burch colposuspension and tension-free vaginal tape in the management of stress urinary incontinence in women. Eur Urol 2002;41:469-473.
Liapis A, Bakas P, Creatsas G. Long-term efficacy of tension-free vaginal tape in the management of stress urinary incontinence in women: efficacy at 5- and 7-year follow-up. Int Urogynecol J Pelvic Floor Dysfunct (2008) 19:1509-1512
Liapis A, Bakas P, Creatsas G. Monarc vs TVT-O for the treatment of primary stress incontinence: a randomized study. Int Urogynecol J Pelvic Floor Dysfunct 2008;19:185-190.
Liapis A. Tension-Free Vaginal Tape versus Tension-Free Vaginal Tape Obturator in Women with Stress Urinary Incontinence. Gynecol Obstet Invest 2006;62:160-164
Lim J. Short-term clinical and quality-of-life outcomes in women treated by the TVT-Secur procedure. Australian and New Zealand Journal of Obstetrics and Gynaecology 2010; 50: 168-172
Lim JL. Clinical and quality-of-life outcomes in women treated by the TVT-O procedure. BJOG 2006;113:1315-1320.
Lim YN, Muller R, Corstiaans A, Dietz HP, Barry C, Rane A. Suburethral slingplasty evaluation study in North Queensland, Australia: the SUSPEND trial. Australian NZ J Obstet Gynaecol 2005;45:52-59.
Linder BJ, et al. Evaluation of the local carcinogenic potential of mesh used in the treatment of female stress urinary incontinence. Int Urogynecol J (2016)
Lleberia J. Surgical Treatment of Mixed Urinary Incontinence: effect of anterior colpoplasty. Int Urogynecol J (2011) 22:1025-1030

Medical Literature

Lo TS, et al. Ultrasound assessment of mid-urethra tape at three-year follow-up after tension-free vaginal tape procedure. <i>Urology</i> 63:671-675, 2004
Lone F, et al. A 5-year prospective study of vaginal pessary use for pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> 114 (2011) 56-59.
Long C. Three-year outcome of transvaginal mesh repair for the treatment of pelvic organ prolapse. <i>Eur J Obstet Gynecol</i> 2012;161:105-108
Long C. Three-year outcome of transvaginal mesh repair for the treatment of pelvic organ prolapse. <i>Eur J Obstet Gynecol</i> 2012;161:105-108.
Long C-Y, et al. Comparison of clinical outcome and urodynamic findings using “Perigee and/or Apogee” versus “Prolift anterior and/or posterior” system devices for the treatment of pelvic organ prolapse. <i>Int Urogynecol J</i> (2011) 22:233-239
Long Lin A. In Vivo Tension Sustained By Fascial Sling in Pubovaginal Sling Surgery for Female Stress Urinary Incontinence. <i>J Urology</i> (March 2005) Vol. 173, 894-897
Lord HE, Taylor JD, Finn JC, et al. A randomized controlled equivalence trial of short-term complications and efficacy of tension-free vaginal tape and supra pubic urethral support sling for treating stress incontinence. <i>BJU Int</i> 2006;98:367-376.
Lowman JK. Does the Prolift system cause dyspareunia? <i>Am J Obstet Gynecol</i> 2008;199:707.e1-707.e6.
Luber KM. The Definition, Prevalence, and Risk Factors for Stress Urinary Incontinence. <i>Rev Urol</i> 2004; 6(suppl 3): S3-S9.
Lucas MG. EAU Guidelines on Surgical Treatment of Urinary Incontinence. <i>Eur Urol.</i> 2012; 62:1118-29
Lucente V, et al. Medium-Term Clinical Outcomes Following Trocar-Guided Mesh Repair of Vaginal Prolapse Using Partially Absorbable Mesh. <i>AUGS Abstract</i> . Submitted 4/5/2012)
Lucente V. Oral Poster 55 – A Clinical Assessment of Gynemesh PS for the repair of POP. <i>Journal of Pelvic Medicine and Surgery</i> (2004) Vol 10, S35
Lucente V. Outcome Incidence: A Retrospective Series of Over 1000 Patients Following Transvaginal Mesh Surgery For Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 18:8, Supp. 1 Sept/ Oct 2012.
Lucente V. Pelvic Organ Prolapse Poster. <i>AUGS</i> 2004.
Luck A. Suture erosion and wound dehiscence with permanent versus absorbable suture in reconstructive posterior vaginal surgery.
Luijckx RW, et al. A comparison of suture repair with mesh repair for incisional hernia. <i>N Engl J Med</i> 2000; 343:392-398.
Lukacz ES, et al. [Pop 54, 1 yr fu] The effects of the tension-free vaginal tape on proximal urethral position: a prospective, longitudinal evaluation. <i>Int Urogynecol J Pelvic Floor Dysfunct.</i> 2003 Aug;14(3):179-84.
Lykke R, et al. The indication for hysterectomy as a risk factor for subsequent pelvic organ prolapse repair. <i>Int Urogynecol J</i> (2015)
Maaita M. Sexual function after using tension-free vaginal tape for the surgical treatment of genuine stress incontinence. <i>BJU International</i> (2002), 90, 540-543
Magno-Azevedo V. Single Incision Slings: Is There a Role?. <i>Curr Bladder Dysfunct Rep</i> (2013) 8:19-24
Maher C, et al. (full 141pp) Transvaginal mesh or grafts compared with native tissue repair for vaginal prolapse (Review). <i>The Cochrane Collaboration</i> (2016)
Maher C, et al. (Summary) Transvaginal mesh or grafts compared with native tissue repair for vaginal prolapse (Review). <i>The Cochrane Collaboration</i> (2016)
Maher C, et al. Surgical Management of Pelvic Organ Prolapse in Women: A Short Version Cochrane Review. <i>Neurourol Urodyn</i> (2008) 27: 3-12

Medical Literature

<p>Maher C, Qatawneh A, Baessler K, Croppe M, Schluter P. Laparoscopic colposuspension or tension-free vaginal tape for recurrent stress urinary incontinence and/or intrinsic sphincter deficiency-a randomized controlled trial. <i>Neurourol Urodyn</i> 2004;23:433-434.</p>
<p>Maher C. Laparoscopic sacral colpopexy versus total Vaginal mesh for Vaginal vault Prolapse: A Randomized Trial. <i>Am J Obstet Gynecol</i> 2011;204 1.e1-1.d7</p>
<p>Maher C. Surgical management of pelvic organ prolapse in women. <i>Cochrane Review</i> (2013).</p>
<p>Margulies RU, et al. Complications requiring reoperation following vaginal mesh kit procedures for prolapse. <i>AJOG</i> 2008; 199:678.e1-4.</p>
<p>Markland. Prevalence and trends of urinary incontinence in adults in the United States, 2001 to 2008. (2011)</p>
<p>Martan A. TVT SECUR System - Tension-free Support of the Urethra in Women Suffering from Stress Urinary Incontinence - Technique and Initial Experience. <i>Ces. Gynek.</i> 72, 2007, C. 1 s.42-49</p>
<p>Masata J, Svabik K, Drahoradova P, et al. Randomized prospective trial of a comparison of the efficacy of TVT-O and TVT secur system in the treatment of stress urinary incontinent women - comparison of the long- and short-term results. <i>Neurourol Urodyn</i> 2011;30:805-806.</p>
<p>Masata J. Randomized trial of a comparison of the efficacy of TVT-O and single-incision tape TVT Secur systems in the treatment of stress urinary incontinent women -2-year follow-up. <i>Int Urogynecol J</i> (2012) 23:1403-1412</p>
<p>Mattimore J, et al. [AUA Abs FR11-07] The History of Pelvic Organ Prolapse from Antiquity to Present Day. (2015)</p>
<p>McLennan M. Bladder Perforation During Tension-Free Vaginal Tape Procedures: Abdominal versus Vaginal Approach. <i>Female Pelvic Medicine & Reconstructive Surgery</i>, Volume 18, Number 1, January/February 2012</p>
<p>Menefee SA, et al. Colporrhaphy compared with mesh or graft-reinforced vaginal paravaginal repair for anterior vaginal wall prolapse. <i>Obstet Gynecol</i> 2011; 118(6): 1337-1344.</p>
<p>Meschia M, Pifarotti P, Baccichet R, et al. A multicenter randomized comparison of tension-free vaginal tape (TVT) and trans-obturator in-out technique (TVT-O) for the treatment of stress urinary incontinence: one year results. <i>Int Urogynecol J</i> 2007;18(Suppl I):S2.</p>
<p>Meschia M, Pifarotti P, Bernasconi F, et al. Tension-free vaginal tape (TVT) and intravaginal slingplasty (IVS) for stress urinary incontinence: a multi center randomized trial. <i>Am J Obstet Gynecol</i> 2006;195:1338-1342.</p>
<p>Meschia M, Pifarotti P, Spennacchio M, Buonaguidi A, Gattei U, Somigliana E. A randomized comparison of tension-free vaginal tape and endopelvic fascia plication in women with genital prolapse and occult stress urinary incontinence. <i>Am J Obstet Gynecol</i> 2004;190:609-613.</p>
<p>Meschia M. Tension-free vaginal tape: analysis of risk factors for failures. <i>Int Urogynecol J</i> (2007) 18:419-422</p>
<p>Meschia M. TVT-Secur: A Minimally invasive procedure for the treatment of primary stress urinary incontinence. One year data from a multi-centre prospective trial. <i>Int Urogynecol J</i> (2009) 20:313-317</p>
<p>Migliari R. Tension-free vaginal mesh repair for anterior vaginal wall prolapse. <i>Eur Urol.</i> 2000;38:151-155.</p>
<p>Milani A. Trocar-guided mesh repair of vaginal prolapse using partially absorbable mesh: 1 year outcomes. <i>Am J Obstet Gynecol</i> 2011;204:74.e1-8</p>
<p>Miller D, et al. Prospective clinical assessment of the transvaginal mesh technique for treatment of pelvic organ prolapse - 5 years results. <i>Female Pelvic Med Reconstr Surg</i> 2011;17:139-143.</p>
<p>Miller. Prospective Clinical Assessment of the Transvaginal Mesh Technique for Treatment of POP - 5 Year Results. AUGS Conference Presentation. <i>Female Pelvic Medicine & Reconstructive Surgery</i> Volume 17, Number 3-May/June 2011</p>

Medical Literature

Mirosh M, Epp A. TVT vs laparoscopic Burch colposuspension for the treatment of stress urinary incontinence. JCS 2005:Abstract 640.
Mistrangelo E, et al. Rising use of synthetic mesh in transvaginal pelvic reconstructive surgery: A review of the risk of vaginal erosion. Journal of Minimally Invasive Gynecology (2007) 14, 564-569
Moalli PA, et al. Tensile Properties of five commonly used mid-urethral slings relative to the TVT. Int Urogynecol J (2008) 19:655-663.
Moalli The Impact of boundary conditions on surface curvature of polypropylene mesh in response to uniaxial loading. Journal of Biomechanics 48 (2015) 1566-1574
Moalli, Nager. Polypropylene mesh: evidence for lack of carcinogenicity. Int Urogynecol J (2014)
Moalli. Host response to Synthetic Mesh in Women with mesh complications. Am J Obstet Gynecol 2016
Moir J. The Gauze-Hammock Operation. A Modified Aldrige Sling Procedure. The Journal of Obstetrics and Gynaecology of the British Commonwealth Vol. 75, No. 1 January 1968
Moore RD, Miklos JR. Vaginal Mesh Kits for Pelvic Organ Prolapse, Friend or Foe: A Comprehensive Review. The Scientific World Journal (2009) 9, 163-189
Morgan JE, et al. The Marlex sling operation for the treatment of recurrent stress urinary incontinence: a 16-year review. Obstet Gynecol 1985; 151:224-226.
Mostafa A, Agur W, Abdel-All M, et al. A multicentre randomised trial of single-incision mini-sling (Ajust) and tension-free vaginal tape-obturator (TVT-O™) in management of female stress urinary incontinence. Neurourol Urodyn 2011;30:806-8.
Murphy M, et al. Outcome Incidence: A Retrospective Series of Over 1000 Patients Following Transvaginal Mesh Surgery for Pelvic Organ Prolapse. American Urogynecologic Society. 2012
Murphy M, et al. Time to rethink: An Evidence based response from pelvic surgeons to the FDA Safety Communication: "UPDATE on Serious Complications Associated with Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse". Int Urogynecol J (2011) D01 10.1007/s00192 001 1581 2
Murphy. Time to rethink - FDA Signatures without addresses 2011
Nager C. Midurethral Slings: Evidence-based Medicine vs. The Medicolegal System. <i>Accepted Manuscript to appear in: American Journal of Obstetrics and Gynecology; 2016</i> doi: 10.1016/j.ajog.2016.04.018
Nager C. Midurethral Slings: Evidence-Based Medicine vs. The Medicolegal System. American Journal of Obstetrics and Gynecology 2016 DOI: 10.1016/j.ajog.2016.04.018
Nager, Charles. Design of the Value of Urodynamic Evaluation (ValUE) Trial: A Non-Inferiority Randomized Trial of Preoperative Urodynamic Investigations. Contemp Clin Trials. 2009 November; 30(6): 531-539
Nager, Charles. Randomized Trial of Urodynamic Testing before Stress-Incontinence Surgery. N Engl J Med 366;21 1987-1997; Supplementary Index
Naumann G, Lobodasch K, Bettin S, Meyer P, Koelbl H. Tension free vaginal tape (TVT) vs less invasive free tape (LIFT)-a randomized multicentric study of suburethral sling surgery. Int Urogynecol J 2006;17(Suppl 2):S94-S95.
Nerli RB, Kumar AG, Koura A, Prabha V, Alur SB. Transobturator vaginal tape in comparison to tensionfree vaginal tape: A prospective trial with a minimum 12 months follow-up. Indian J Urol 2009;25:321- 325.
Neuman M. Perioperative Complication and Early Follow-up with 100 TVT-Secur Procedures. Journal of Minimally Invasive Gynecology (2008) 15,480-484
Neuman M. Post Tension-free Vaginal Tape Voiding Difficulties. Journal of Pelvic Medicine and Surgery, Volume 10, Number 1, January/February 2004
Neuman M. Training TVT Secur: The first 100 Teaching Operations. Int Urogynecol J (2007) 18 (Suppl 1):S25-S105

Medical Literature

Neuman M. Transobturator vs. Single-Incision Suburethral Mini-slings for Treatment of Female Stress Urinary Incontinence: Early Postoperative Pain and 3-Year Follow-up. <i>Journal of Minimally Invasive Gynecology</i> (2011) 18, 769-773
Neuman M. TVT and TVT-Obturator: Comparison of Two Operative Procedures. <i>Int Urogynecol J</i> (2006) 17 (Supp. 2) S101-152
Nguyen J. [Pop 4,142] Perioperative Complications and Reoperations After Incontinence and Prolapse Surgeries Using Prosthetic Implants, <i>Obstet Gynecol.</i> 2012 Mar;119(3):539-46
Nguyen JN, Burchette RJ. Outcome after anterior vaginal prolapse repair. <i>Obstet Gynecol</i> 2008; 111:891-898.
Nichols DH. The Mersilene Mesh Guaze-Hammock for Severe Urinary Stress Incontinence. <i>Obstet Gynecol</i> 1973; 41(1): 88-93.
Nicita G. A new operation for genitourinary prolapse. <i>Journal of Urology.</i> 1998;160:741-745.
Nieminen K, et al. Outcomes after anterior vaginal wall repair with mesh: a randomized, controlled trial with a 3 year follow-up. <i>AJOG</i> 2010; 203:235-e1-8.
Nilsson C. [7 yr fu] Seven-Year Follow-up of the Tension-Free Vaginal Tape Procedure for Treatment of Urinary Incontinence. <i>Obstet Gynecol</i> (2004) 104, 1259-1262
Nilsson C. Creating a gold standard surgical procedure. The development and implementation of TVT (Ulf Ulmsten Memorial Lecture 2014). <i>Int Urogynecol J</i> (2015) DOI 10.1007/s00192-014-2616-2
Nilsson C. Creating a gold standard surgical procedure: the development and implementation of TVT. <i>Int Urogynecol J</i> 2015; 26(4): 467-469
Nilsson C. Long-term Results of the Tension-Free Vaginal Tape (TVT) Procedure for Surgical Treatment of Female Stress Urinary Incontinence. <i>Int Urogynecol J</i> 2001; (Suppl 2): S5-S8
Nilsson C. Seven-Year Follow-up of the Tension-Free Vaginal Tape Procedure for Treatment of Urinary Incontinence. <i>Obstet Gynecol</i> (2004) 104, 1259-1262
Nilsson CG, et al. [Pop 90, median 56 mo fu] Long-term Results of the Tension-free Vaginal Tape (TVT) Procedure for Surgical Treatment of Female Stress Urinary Incontinence. <i>Int Urogynecol J</i> , 2001 (Suppl 2): S5-S8
Nilsson CG, Palva K, Aarnio R, Morcos E, Falconer C. [Pop 58, 17 yrs fu] Seventeen years' follow-up of the tension-free vaginal tape procedure for female stress urinary incontinence. <i>Int Urogynecol J</i> (2013) 24: 1265-1269
Nilsson CG. Eleven years prospective follow-up of the tension-free vaginal tape procedure for treatment of stress urinary incontinence. <i>Int Urogynecol J</i> (2008) 19: 1043-1047
Nilsson M, et al. (Swedish Registry) [Pop 3334, 12 mo fu] Female urinary incontinence: patient-reported outcomes 1 year after midurethral sling operations. <i>Int Urogynecol J.</i> 2012 Oct;23(10):1353-1359.
Nitti VW, et al. Early results of pubovaginal sling lysis by midline sling incision. <i>Urology</i> 2002; 59:47-52.
North C, et al. A 2-year observational study to determine the efficacy of a novel single incision sling procedure (Minitape) for female stress urinary incontinence. <i>BJOG</i> 2010; 117:356-360.
Norton P. Collagen synthesis in women with Genital Prolapse or Stress Urinary Incontinence. (Abstract only) 1992
Novara G, et al. [meta-analysis] Complication rates of tension-free midurethral slings in the treatment of female stress urinary incontinence: a systematic review and meta-analysis of randomized controlled trials comparing tension-free midurethral tapes to other surgical procedures and different devices. <i>Eur Urol.</i> 2008 Feb;53(2):288-308.
Novara G, et al. Tension-free midurethral slings in the treatment of female stress urinary incontinence: a systematic review and meta-analysis of randomized controlled trials of effectiveness. <i>Eur Urol.</i> 2007 Sep;52(3):663-78.

Medical Literature

Novara G, et al. Updated systematic review and meta-analysis of the comparative data on colposuspensions, pubovaginal slings, and midurethral tapes in the surgical treatment of female stress urinary incontinence. Eur Urol. 2010;58:218-38
Novara G, Galfano A, Boscolo-Berto R, Secco S, Cavalleri S, Ficarra V, Artibani W. [meta-analysis] Complication rates of tension-free midurethral slings in the treatment of female stress urinary incontinence: a systematic review and meta-analysis of randomized controlled trials comparing tension-free midurethral tapes to other surgical procedures and different devices. Eur Urol 53 (2008):288-309
Nygaard I. Long-term outcomes following abdominal sacrocolpopexy for pelvic organ prolapse. JAMA. 2013;309;19:2016-2024
Nygaard I. Prevalence of symptomatic pelvic floor disorders in US Women. JAMA 2008; 300:1311-1316
Nygaard. Pelvic Floor Disorders Network: Prevalence of symptomatic pelvic floor disorders in US women. JAMA. 2008 Sep 17;300(11):1311-6. doi: 10.1001/jama.300.11.1311.
Ogah J. Minimally invasive synthetic suburethral sling operations for stress urinary incontinence in women. Cochrane Database Syst Rev. (2009) Oct 7;(4):CD006375
Ogah J. Minimally Invasive Synthetic Suburethral Sling Operations for Stress Urinary Incontinence in Women: A Short Version Cochrane Review. Neurourology and Urodynamics 30:284-291 (2011)
Ogah. Minimally invasive synthetic suburethral sling operations. Cochrane Review [Abstract] Cochrane Database Review; The Cochrane Library 2009, Issue 4
Oliveira LM, et al. [Pop 85, med 14 mos fu] Abs 328 Comparison of retro-pubic TVT, pre-pubic TVT and TVT transobturator in surgical treatment of women with stress urinary incontinence. Int Urogynecol J 2006; 17 (Suppl 2): 5171-5359
Oliveira R. Exploratory Study Assessing Efficacy and Complications of TVT-O, TVT_Secur, and Mini-Arc: Results at 12-month Follow-up. EurUrol (2011),doi:10.1016/j.eururo.2011.01.018
Oliveira R. Short-term assessment of a tension-free vaginal tape for treating female stress urinary incontinence. BJU International 104, 225-228
Olsen AL. Epidemiology of surgically managed pelvic organ Prolapse and Urinary Incontinence. Obstet Gynecol. 1997 Apr;89(4):501-6.
Olsson I, Abrahamsson AK, Kroon UB. Long-term efficacy of the tension-free vaginal tape procedure for the treatment of urinary incontinence: a retrospective follow-up 11.5 years post-operatively. Int Urogynecol J (2010) 21:679-683
Ong, Thames, et al. [IUGA Abs PP 19] The Myth: In Vivo Degradation of Polypropylene Meshes. Int Urogynecol J (2016) 27 (Suppl 1): S37-S38
Osborn DJ. Obesity and female stress urinary incontinence. Urology. 2013 Oct;82(4):759-63
Ozel B, et al. The impact of pelvic organ prolapse on sexual function in women with urinary incontinence. Int Urogynecol J (2005) 17:14-17.
Padilla-Fernández B, et al. Results of the surgical correction of urinary stress incontinence according to the type of transobturator tape utilized. Arch Ital Urol Androl. 2013;85:149-53.
Paiva K, Rinne K, Aukee P, et al. A randomized trial comparing tension-free vaginal tape with tensionfree vaginal tape-obturator: 36-month results. Int Urogynecol J 2010;21:1049-1055.
Palobma S. A randomized controlled trial comparing three vaginal kits of single-incision mini-slings for stress urinary incontinence: surgical data. European Journal of Obstetrics & Gynecology and Reproductive Biology 163 (2012) 108-112
Palva K, Rinne K, Aukee P, et al. A randomized trial comparing tension-free vaginal tape with tensionfree vaginal tape-obturator: 36-month results. Int Urogynecol J 2010;21:1049-1055.
Pandit A. Design of surgical meshes – an engineering perspective. Technology and Health Care 2004; 12: 51-65
Pandit L. Postmenopausal vaginal atrophy and atrophic vaginitis. Amer. Journal of Med. Sciences; 1997:314:228-231.

Medical Literature

Paraiso MFR, Walters MD, Karram MM, Barber MD. Laparoscopic Burch colposuspension versus tensionfree vaginal tape: a randomized trial. <i>Obstet Gynecol</i> 2004;104:1249-1258.
Petros P, Ulmsten U. An integral theory and its method for the diagnosis and management of female urinary incontinence. <i>Scand J Urol Nephrol Suppl. No. 153</i> , 1993.
Petros P. Creating a gold standard device. Scientific discoveries leading to TVT and beyond (Ulf Ulmsten Memorial Lecture 2014). <i>Int Urogynecol J</i> (2015) DOI 10.1007/s00192-015-2639-3
Petros P. Creating a gold standard surgical device. Scientific discoveries leading to TVT and beyond. <i>Int Urogynecol J</i> DOI 10.1007/s00192-015-2639-3
Porena M, Costantini E, Frea B, et al. Tension-free vaginal tape versus transobturator tape as surgery for stress urinary incontinence: results of a multicentre randomised trial. <i>Eur Urol</i> 2007;52:1481-1490.
Prakash P, et al. A prospective randomised controlled trial comparing chronic groin pain and quality of life in lightweight versus heavyweight polypropylene mesh in laparoscopic inguinal hernia repair. <i>Journal of Minimal Access Surgery</i> , 2016; 12(2):154-161.
Prien-Larsen JC, Hemmingsen L. [Pop 316, 5 yr fu] Long-term outcomes of TVT and IVS operations for treatment of female stress urinary incontinence: monofilament vs. multifilament polypropylene tape. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> (2009) 20:703-709
Pulliam S. Use of synthetic mesh in pelvic reconstructive surgery: a survey of attitudes and practice patterns of urogynecologists. <i>Int Urogynecol J</i> (2007) 18:1405-1408
Rechberg T, Rzezniczuk K, Skorupski P, et al. A randomized comparison between monofilament and multifilament tapes for stress incontinence surgery. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2003;14:432-436.
Rechberger T. Role of fascial collagen in stress urinary incontinence. <i>Am J Obstet Gynecol</i> (1998) 1511-1514
Rehman H, et al. Traditional suburethral sling operations for urinary incontinence in women (Review). <i>The Cochrane Collaboration</i> (2011).
Reich A, Kohorst F, Kreienberg R, Flock F. [7 yr fu] Long-term results of the tension-free vaginal tape procedure in an unselected group: a 7-year follow-up study. <i>Urology</i> (2011) 78:774-777
Resende A, Oliveira R, Botelho F, Silva C, Dinis P, Cruz F. Mid-term follow-up of a randomized trial comparing TVT-O™, TVT-Secur™ and Mini-Arc™. <i>Eur Urol Suppl</i> 2011;10:244.
Rezapour M, et al. [Pop 49, Mean 4 yr fu] Tension-Free Vaginal Tape (TVT) in Stress Incontinent Women with Intrinsic Sphincter Deficiency (ISD) - A Long-Term Follow-up. <i>Int Urogynecol J</i> (2001) (Suppl 2):S12-S14.
Rezapour M, Ulmsten U. [Pop 34, 4 yr fu] Tension-Free Vaginal Tape (TVT) in Women with Recurrent Stress Urinary Incontinence – A Long-term Follow Up. <i>Int Urogynecol J</i> (2001) (Suppl 2):S9-S11.
Rezapour M, Ulmsten U. [Pop 80, 4 yr fu] Tension-Free Vaginal Tape (TVT) in Women with Mixed Urinary Incontinence - A Long-Term Follow-up. <i>Int Urogynecol J</i> (2001) (Suppl 2):S15-S18.
Richter H. SISTER [Pop 482, 7 yr fu] Patient Related Factors Associates with Long-Term Urinary Continence After Burch Colposuspension and Pubovaginal Fascial Sling Surgeries. <i>J Uro</i> , Vol. 188, 485-489, August 2012
Richter HE, Alba ME, Zyczynski HM, et al. Retropubic versus transobturator midurethral slings for stress incontinence. <i>N Eng J Med</i> 2010;362:2066-2076.
Richter HE. A Trial of Continence Pessary vs. Behavioral Therapy vs. Combined Therapy for Stress Incontinence (ATLAS); <i>Obstet Gynecol</i> . 2010 March; 115(3): 609-617
Richter, Brubaker, Zimmern, Sirls (UITN) SISTER [Pop 482, 7 yr fu] Patient Related Factors Associates with Long-Term Urinary Continence After Burch Colposuspension and Pubovaginal Fascial Sling Surgeries. <i>J Uro</i> , Vol. 188, 485-489, August 2012
Rinne K. A randomized trial comparing TVT with TVT-O: 12-month results. <i>Int Urogynecol J</i> (2008) 19:1049 1054

Medical Literature

Riva D, Sacca V, Tonta A, et al. T.V.T. versus T.O.T: a randomized study at 1-year follow-up. <i>Int Urogynecol J</i> 2006;17(Suppl 2):S93.
Ross S, Robert M, Lier D, Eliasziw M, Jacobs P. Surgical management of stress urinary incontinence in women: safety, effectiveness and cost-utility of trans-obturator tape (TOT) versus tension-free vaginal tape (TVT) five years after a randomized surgical trial. <i>BMC Women's Health</i> 2011;11:34.
Roth CC, et al. Synthetic slings: which material, which approach. <i>Curr Opin Urol</i> 16:234-239 2006
Sand P. Prospective randomized trial of polyglactin 910 mesh to prevent recurrence of cystoceles and rectoceles. <i>Am J Obstet Gynecol.</i> 2001;184:1357-1364.
Sato K, et al. [AUA Abs PD50-03] Sexual function in female patients who underwent pelvic floor reconstruction with follow-up for a minimum of 5 years (2015)
Sayer T, et al. Medium-term clinical outcomes following surgical repair for vaginal prolapse with a tension-free mesh and vaginal support device. <i>Int Urogynecol J</i> (2011) 22 (Suppl 1): S89-S90.
Scheiner D, Betschart C, Werder H, Fink D, Perucchini D. Retropubic TVT vs transobturator outside-in TOT and inside-out TVT-O: one-year results from our prospective randomized study. <i>Neurourol Urodyn</i> 2009;28:585-586.
Schierlitz L, Dwyer P, Rosamilia A, et al. A randomized controlled study to compare tension free vaginal tape (TVT) and Monarc trans-obturator tape in the treatment of women with urodynamic stress incontinence (USI) and intrinsic sphincter deficiency (ISO): the three year follow up. <i>Int Urogynecol J</i> 2010;21(Suppl I):SI-S2.
Schierlitz L, et al. A prospective randomised controlled trial comparing vaginal prolapse repair with and without tensionfree vaginal tape (tvf) in women with severe genital prolapse and occult stress incontinence: long term follow up. <i>Int Urogynecol J</i> 2010;21(Suppl I):S2-S3.
Schimpf M. Sling surgery for stress urinary incontinence in women: A systematic review and metaanalysis. <i>AJOG</i> 2014
Schimpf MO, Rahn DD, Wheeler TL et al. (published) [meta-analysis] Sling surgery for stress urinary incontinence in women: a systematic review and meta-analysis. <i>Am J Obstet Gynecol</i> (2014) 211:71.e1-71.e27
Schimpf, MO, et al. Graft and Mesh Use in Transvaginal Prolapse Repair: a systematic review. <i>Obstet Gynecol</i> 2016; 128:81-91.
Schiotz H. [Pop 33,10 yr fu] Ten-year follow-up after conservative treatment of stress urinary incontinence. <i>Int Urogynecol J</i> (2008) 19:911-915
Schiotz H. Ten-year follow-up after conservative treatment of stress urinary incontinence. <i>Int Urogynecol J</i> (2008) 19:911-915
Schraffordt Koops. [Pop 634, 2 yr fu] Quality of life before and after TVT, a prospective multicenter cohort study, results from the Netherlands TVT database; <i>BJOG</i> 2006; 113:26-29
Schraffordt Koops. The effectiveness of tension-free vaginal tape (TVT) and quality of life measured in women with previous urogynecologic surgery; Analysis from the Netherlands TVT database; <i>American Journal of Obstetrics and Gynecology</i> (2006) 195, 439-44
Seo JH, Kim GN, Kim JY, et al. Comparison between transobturator vaginal tape inside out and single incision sling system in the treatment of female stress urinary incontinence: Prospective randomized study. <i>Neurourol Urodyn</i> 2011;30:832.
Serati M, Bauer R, Cornu JN, Cattoni E, Braga A, Siesto G, Lizée D, Haab F, Torella M, Salvatore S. [Pop 191 5 yr fu] TVT-O for the treatment of pure urodynamic stress incontinence: efficacy, adverse effects, and prognostic factors at 5-year follow-up. <i>Eur Urol</i> (2013) 63:872-878
Serati M, Ghezzi F, Cattoni E, Braga A, Siesto G, Torella M, Cromi A, Vitobello D, Salvatore S. [Pop 58, but 10 yrs fu] Tension-free vaginal tape for the treatment of urodynamic stress incontinence: efficacy and adverse effects at 10-year follow-up. <i>Eur Urol</i> (2012) 61:939-946

Medical Literature

SGS - Executive Committee Statement Regarding the FDA Communication: Surgical placement of mesh to repair pelvic organ prolapse imposes risks. (2011)
Shah DK, et al. Short-term outcome analysis of total pelvic reconstruction with mesh: the vaginal approach. J Urol 2004; 171, 261-263.
Shah S. Impact of Vaginal Surgery for Stress Urinary Incontinence of Female Sexual Function; Is the Use of Polypropylene Mesh Detrimental? UROLOGY 65: 270-274, 2005
Shao U, et al. [Pop 24, median 57 mo fu] Tension-free vaginal tape retropubic sling for recurrent stress urinary incontinence after Burch colposuspension failure. International Journal of Urology (2011) 18, 452-457
Sharifiaghdas F, Martazavi N. Tension-free vaginal tape and autologous rectus fascia pubovaginal sling for the treatment of urinary stress incontinence: a medium-term follow-up. Med Prine Pract 2008;17:209-214.
Shek K, et al. Perigee versus Anterior Prolift in the treatment of Cystocele. Int Urogynecol J (2008) 19 (Suppl 1): S1-S166.
Shin Y. Efficacy and Safety of the TVT-Secur and Impact on Quality of Life in Women with Stress Urinary Incontinence: A 2-Year Follow-up. Korean J Urol 2011;52:335-339
Shippey S. Contemporary Approaches to Cystocele Repair: A Survey of AUGS Members. The Journal of Reproductive Medicine, 53:11 (Nov 2008).
Silva W. Uterosacral ligament vault suspension. Five Year Outcomes. Obstet Gynecol:2006;108:255-263.
Simon JA. Identifying and treating sexual dysfunction in postmenopausal women: The role of Estrogen. Journal of Women's Health 2011; 20(10): 1453-1455.
Sivaslioglu AA, et al. A randomized comparison of polypropylene mesh surgery with site specific surgery in the treatment of cystocele. Int Urogynecol J (2008) 19:467-471.
Slack. [ICS Abstract 560] A trocar-free procedure for vaginal prolapse repair using mesh and a vaginal support device - an observational registry (Prosima). (2011)
Sobhghol SS, et al. Rate and related factors of dyspareunia in reproductive age women: a cross-sectional study. International Journal of Impotence Research (2007) 19, 88-94.
Sokol A. One-year objective and functional outcomes of a randomized clinical trial of vaginal mesh for prolapse. Am J Obstet Gynecol 2012;206:86.e1-9
Sola V. Third Generation Sub-Mid Urethral Mesh: Experience with 110 TVT-Secur. Arch. Esp. Urol. 2009; 62 (5): 376-388
Song PH, Kim YD, Kim HT, Lim HS, Hyun CH, Seo JH, Yoo ES, Park CH, Jung HC, Gomelsky A. [Pop 306, 7 yr fu] The 7-year outcome of the tension-free vaginal tape procedure for treating female stress urinary incontinence. BJU Int. 2009 Oct;104(8):1113-1117.
Song. [Pop 206, 13 yr fu] AUA Abs. MP33-03 The long-term outcomes from TVT procedure for female SUI; Data from minimal 13 years of follow up; http://www.aua2014.org 2014
Sovrin, M. Impact of Vaginal Surgery for Stress Urinary Incontinence of Female Sexual Function; Is the Use of Polypropylene Mesh Detrimental? (2005)
Stanford E. A Comprehensive Review of Suburethral Sling Procedure Complications. Journal of Minimally Invasive Gynecology (2008) IS, 132-145 © 2008
Subak L. Cost of Pelvic Organ Prolapse Surgery in the United States. The American College of Obstetricians and Gynecologists, 98:4, Oct 2001.
Sung V, et al. Graft Use in Transvaginal Pelvic Organ Prolapse Repair - A Systematic Review. Amer Col Obstet Gynecol (2008) 112(5) 1131-1135.
Svabik K. Comparison of vaginal mesh repair with sacrosinous vaginal colpopexy in the management of vaginal vault prolapse after hysterectomy in patients with levator ani avulsion: a randomized controlled trial. ISUOG 2014.

Medical Literature

Svenningsen R, et al. (Norwegian registry) [Pop 542, median 129 mo fu] Long-term follow-up of the retropubic tension-free vaginal tape procedure. <i>Int Urogynecol J</i> . 2013 Aug;24(8):1271-1278
Svenningsen R, et al. (Norwegian registry) [Pop 542, median 129 mo fu] Long-term follow-up of the retropubic tension-free vaginal tape procedure. <i>Int Urogynecol J</i> . 2013 Aug;24(8):1271-8
Svenningsen R. [Pop 810, 10 yr fu] Risk Factors for Long-Term Failure of the Retropubic Tension-Free Vaginal Tape Procedure. <i>Neurourology and Urodynamics</i> (2013) 33:1140-1146
Svenningsen R. Risk Factors for Long-Term Failure of the Retropubic Tension-Free Vaginal Tape Procedure. <i>Neurourol. Urodynam</i> , 2013 Wiley Periodicals.
Swift S. Correlation of symptoms with degree of pelvic organ support in a general population of women: What is pelvic organ prolapse? <i>Am J Obstet Gynecol</i> 2003;189:372-9
Tamussino K, TammaaA, Hanzal E, Umek W, Bjelic V, Koelle D. TVT vs. TVT-O for primary stress incontinence: a randomized clinical trial. <i>Int Urogynecol J</i> 2008;19(Suppl I):S20-S21.
Tamussino K. (Austrian registry) [Pop 2543] Transobturator tapes for stress urinary incontinence: Results of the Austrian registry. <i>Am J Obstet Gynecol</i> 2007;197:634.e1-634.e5.
Tamussino K. Transobturator tapes for stress urinary incontinence: Results of the Austrian registry. <i>Am J Obstet Gynecol</i> 2007;197:634.e1-634.e5.
Tamussino KF, et al. Tension-free vaginal tape operation: Results of the Austrian Registry. <i>Obstet Gynecol</i> 2001; 98:732-736.
Tan PF, Yang LL, Ou RB, Tang P, Yang WJ, Huang JB, Wei W, Wei XH, Wang B, Xie KJ. Effectiveness and complication rates of tension-free vaginal tape, transobturator tape, and tension-free vaginal tape-obturator in the treatment of female stress urinary incontinence in a medium- to long-term follow up. Meta-analysis of randomized controlled trials. <i>Saudi Med J</i> (2014) 35:20-32
Tang X. Short-Term Effect of TVT-Secure Procedure on Quality of Life and Sexual Function in Women with Stress Urinary Incontinence. <i>Journal of Minimally Invasive Gynecology</i> (2013) 20, 455-459
Tate A. The use of infection prevention practices in female pelvic medicine and reconstructive surgery. <i>Curr Opin Obstet Gynecol</i> . 2010 Oct;22(5):408-13
Tellez Martinez-Fornes M, Fernandez Perez C, Fouz Lopez C, Fernandez Lucas C, Borrego Hernando J. A three year follow-up of a prospective open randomized trial to compare tension-free vaginal tape with Burch colposuspension for treatment of female stress urinary incontinence. <i>Actas Urol Esp</i> 2009;33: 1088-1096.
Teo R, Moran P, Mayne C, Tincello D. Randomized trial of tension-free vaginal tape and tension-free vaginal tape-obturator for urodynamic stress incontinence in women. <i>J Urol</i> 2011;185:1350-1355.
Thubert T. [Pop 98, 1 yr fu] Bladder injury and success rates following retropubic mid-urethral sling: TVT EXACT™ vs. TVT™ <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 2016; 198: 78-83
Tincello DG, Kenyon S, Slack M, et al. Colposuspension or TVT with anterior repair for urinary incontinence and prolapse: results of and lessons from a pilot randomised patient-preference study (CARPET 1). <i>BJOG</i> 2009;116:1809-1814.
Tincello. The TVT Worldwide Observational Registry for Long Term Data: Safety and Efficacy of Suburethral Sling Insertion Approaches for Stress Urinary Incontinence in Women; <i>The Journal of Urology</i> ; Vol. 186, 2310-2315, December 2011
Tincello. The TVT Worldwide Observational Registry for Long-Term Data: Safety and Efficacy of Suburethral Sling Insertion Approaches for Stress Urinary Incontinence in Women. <i>Jurology</i> (2011) Vol. 186, 2310-2315
Toglia M. Suture erosion rates and long-term surgical outcomes in patients undergoing sacrospinous ligament suspension with braided polyester suture. <i>AJOG</i> :2008;49;600.e1-600.e4.

Medical Literature

Tommaselli G. Comparison of TVT-O and TVT-Abbrevio for the surgical management of female stress urinary incontinence: a 12-months preliminary study. International Journal of Gynecology & Obstetrics 119S3 (2012) S261-S530
Tommaselli G. Efficacy of a modified technique for TVT-O positioning: a twelve-month, randomized, single-blind, multicenter, non-inferiority study. Eur J Obstet Gynecol (2012)
Tommaselli G. Medium-term and long-term outcomes following placement of midurethral slings for stress urinary incontinence: a systematic review and metaanalysis. Int Urogynecol J (2015)
Tommaselli G. Tension-Free Vaginal Tape-O and -Secur for the Treatment of Stress Urinary Incontinence: A Thirty-Six-Month Follow-up Single-blind, Double-arm, randomized study. Journal of Minimally Invasive Gynecology (2013) 20, 198-204
Tommaselli G. TVT-Secur for the treatment of female stress urinary incontinence: a 24-month follow-up retrospective study. Arch Gynecol Obstet (2012) 286:415-421
Tommaselli GA, Di Carlo C, Gargano V, Formisano C, Scala M, Nappi C. Efficacy and safety of TVT-O and TVT-Secur in the treatment of female stress urinary incontinence: 1-year follow-up. Int Urogynecol J 2010;21:1211-1217.
Tommaselli GA, et al. Medium-term and long-term outcomes following placement of midurethral slings for stress urinary incontinence: a systematic review and metaanalysis. Int Urogynecol J (2015) DOI 10.1007/s00192-015-2645-5
Trabuco E. Midurethral Slings for the Treatment of Stress Urinary Incontinence: Long Term Follow up. Obstetrics & Gynecology: American College of Obstetricians and Gynecologists, Vol. 123, No. 5 (Supplement), May 2014
Tseng LH, Wang AC, Lin Y-H, Li S-J, Ko Y-J. Randomized comparison of the suprapubic arc sling procedure vs tension-free vaginal taping for stress incontinent women. Int Urogynecol J Pelvic Floor Dysfunct 2005;16:230-235.
Ubertazzi E. [Pop 62, median 68 mos fu] IUGA Abs OP 122 - Trans vaginal mesh: argentine experience over 220 consecutives cases. Int Urogynecol J 2011; 22 (Suppl. 2) S924-S925.
Ubertazzi EP. IUGA Abs OP 122 - Trans vaginal mesh (TVM) five years follow up. A retrospective study from latam. (2015)
Ulmsten U, et al. [Pop 131, 1 yr fu] A Multicenter Study of Tension-Free Vaginal Tape (TVT) for Surgical Treatment of Stress Urinary Incontinence. Int Urogynecol J, (1998) 9:210-213
Ulmsten U, et al. [Pop 75, 2 yr fu] An ambulatory surgical procedure under local anesthesia for treatment of female urinary incontinence. Int Urogynecol J (1996) 7:81-86
Ulmsten U, et al. Different biochemical composition of connective tissue in continent and stress incontinent women. Acta Obstet Gynecol Scand 66:455-457, 1987.
Ulmsten U, et al. Intravaginal Slingplasty (IVS) - an Ambulatory Surgical Procedure for Treatment of Female Urinary Incontinence. Scand J Urol Nephrol 29: 75-82, 1995.
Ulmsten U. A Multicenter Study of Tension-Free Vaginal Tape (TVT) for Surgical Treatment of Stress Urinary Incontinence. Int Urogynecol J 1998; 9:210-213
Ulmsten U. A three-year follow up of tension free vaginal tape for surgical treatment of female stress urinary incontinence. British Journal of Obstetrics and Gynecology April 1999, Vol 106, pp. 345-350
Ulmsten U. An Ambulatory Surgical Procedure Under Local Anesthesia for Treatment of Female Urinary Incontinence. Int Urogynecol J 1996; 7:81-86
Ulmsten U. An Introduction to Tension Free Vaginal Tape (TVT) - A New Surgical Procedure for Treatment of Female Urinary Incontinence. Int Urogynecol J (2001) (Suppl 2):S3-S4
Ulmsten U. Creating a gold standard surgical device: scientific discoveries leading to TVT and beyond. Ulf Ulmsten Memorial Lecture 2014. Int Urogynecol 2015; 26(6): 787-9
Ulmsten U. Intravaginal Slingplasty (IVS): An Ambulatory Surgical Procedure for treatment of Female Urinary Incontinence. Scand J Urol Nephrol 1995; 29:75-82

Medical Literature

Ulmsten U. The basic understanding and clinical results of tension-free vaginal tape for stress urinary incontinence. <i>Urologe [A]</i> 2001 - 40:269-273.
Unger CA, et al. [Pop 267] Indications and risk factors for midurethral sling revision. <i>Int Urogynecol J</i> . 2015; DOI:10.1007/s00192-015-2769-7.
Urinary Incontinence Treatment Network (UITN). The Trial Of Mid-Urethral Slings (TOMUS): Design and Methodology. <i>The Journal of Applied Research</i> , Vol. 8, No. 1, 2008
Usher FC, et al. Use of Marlex Mesh in the repair of incisional hernias. (1958)
Ustun Y, Engin-Ustun Y, Gungor M, Tezcan S. Tension-free vaginal tape compared with laparoscopic Burch urethropexy. <i>J Am Assoc Gynecol Laparosc</i> 2003;10:386-389.
Val pas A, Kivela A, Penttinen J, Kujansuu E, Haarala M, Nilsson C-G. Tension-free vaginal tape and laparoscopic mesh colposuspension for stress urinary incontinence. <i>Obstet Gynecol</i> 2004;104:42-49.
Valentim-Lourenco A, Benoun M, Mascarenhas T, Cruz F, Moniz L. TORP - comparing the efficacy, execution and early complications of TVT and TVT-O. <i>Int Urogynecol J</i> 2008;19:S17-S18.
Valpas, Nilsson. [Pop 121, 5 yr fu] TVT versus laparoscopic mesh colposuspension; 5 year follow-up results of a randomized clinical trial; <i>Int Urogynecol J</i> DOI (2014) 10.1007/s00192-014-2454-2
Wadie BS, Edwan A, Nabeeh AM. Autologous fascial sling vs polypropylene tape at short-term followup a prospective randomized study. <i>J Urol</i> 2005;174:990-993.
Wadie BS, Mansour A, El-Hefnawy AS, Nabeeh A, Khair AA. Minimum 2-year follow-up of mid-urethral slings, effect on quality of life, incontinence impact and sexual function. <i>Int Urogynecol J</i> 2010;21:1485-1490.
Wai CY. Patient Satisfaction After Midurethral Sling Surgery for Stress Urinary Incontinence. <i>Obstet Gynecol</i> 2013;121:1009-16
Walsh C. TVT-Secur mini-sling for stress urinary incontinence: a review of outcomes at 12 months. <i>BJU International</i> , 108 , 652-657
Waltregny D. New Surgical Technical for Treatment of Stress Urinary Incontinence TVT-Abbrevio: From Development to Clinical Experience. <i>Surg Technol Int</i> (2012)
Waltregny, D. Inside Out Transobturator Vaginal Tape for the Treatment of Female Stress Urinary Incontinence: Interim Results of a Prospective Study After a 1-Year Minimum Followup. <i>J Urology</i> Vol. 175, 2191-2195, June 2006
Wang AC, Chen M-C. Comparison of tension-free vaginal taping versus modified Burch colposuspension on urethral obstruction: a randomized controlled trial. <i>Neurourol Urodyn</i> 2003;22:185-190.
Wang F, Song Y, Huang H. Prospective randomized trial of TVT and TOT as primary treatment for female stress urinary incontinence with or without pelvic organ prolapse in Southeast China. <i>Arch Gynecol Obstet</i> 2010;281:279-286.
Wang W, Zhu L, Lang J. Transobturator tape procedure versus tension-free vaginal tape for treatment of stress urinary incontinence. <i>Int J Gynaecol Obstet</i> 2009;104:113-116.
Wang, Yi-jun. Comparison of three mid-urethral tension-free tapes (TVT, TVT-O, and TVT-Secur) in the treatment of female stress urinary incontinence: 1-year follow-up. <i>Int Urogynecol J</i> (2011) 22: 1369-1374
Ward K. Prospective multicenter randomised trial of tension-free vaginal tape and colposuspension as primary treatment for stress incontinence. <i>BMJ</i> (2002)325:67
Ward K. Tension-free vaginal tape versus colposuspension for primary urodynamic stress incontinence: 5-year follow up. <i>BJOG</i> 2008; 115: 226-233
Ward KL, Hilton P; on behalf of the UK and Ireland TVT Trial Group. Tension-free vaginal tape versus colposuspension for primary urodynamic stress incontinence: 5-year follow up. <i>BJOG</i> 2008;115:226-233.
Ward, Hilton. [Pop 344, 5 yr fu IRELAND study] TVT vs colposuspension for primary urodynamic stress incontinence: 5 year follow up. <i>Bjog</i> 2008; 115:226-233
Weber A. Anterior colporrhaphy: a randomized trial of three surgical techniques. <i>Am J Obstet Gynecol</i> . 2001;185:1299-1306.

Medical Literature

Weber AM, et al. Sexual function and vaginal anatomy in women before and after surgery for pelvic organ prolapse and urinary incontinence. Am. J. Obstet. Gynecol. 2000; 182, 1610-1615.
Weber, Walters. Vaginal Anatomy and Sexual Function. Obstet Gynecol 1995; 86(6): 946-949.
Weber. Which Sling for which SUI Patient? OBG Management (2012) 24:5, 28-40
Weinberger M. Long-Term Clinical and Urodynamic Evaluation of the Polytetrafluoroethylene Suburethral Sling for Treatment of Genuine Stress Incontinence. Obstetrics & Gynecology, 86:1, July 1995
Welk B JAMA Surg - Removal or Revision of Vaginal Mesh Used for the Treatment of stress urinary incontinence; JAMA Surg. Doi:10.1001/jamasurg.2015.2590
Welk B. Removal or Revision of Vaginal Mesh used for the Treatment of Stress Urinary Incontinence. JAMA Surg (2015)
Whiteside J. Risk factors for prolapse recurrence after vaginal repair. Am J Obstet & Gynecol 2004; 191:1533-1538
Williams TH, TeLinde RW. The Sling Operation for Urinary Incontinence Using Mersilene Ribbon. Obstet Gynecol 1962; 19(2):241-245.
Withagen M, et al. Does trocar-guided tension-free vaginal mesh (Prolift™) repair provoke prolapse of the unaffected compartments? Int Urogynecol J (2010) 21: 271-278
Withagen M, et al. Risk Factors for Exposure, Pain, and Dyspareunia after Tension-Free Vaginal Mesh Procedure. Obstet Gynecol (2011) 118: 629-36.
Withagen M. Sexual functioning after tension free vaginal mesh procedure (Prolift) for pelvic organ prolapse. NO DATE OR CITE INFO.
Withagen M. Trocar-guided mesh compared with conventional vaginal repair in recurrent prolapse. Obstet Gynecol 2011;117:242-250.
Withagen, M., Does trocar-guided tension-free vaginal mesh (Prolift) repair provoke prolapse of the unaffected compartments? Int Urogynecol J (2010) 21:271-278
Wood LN and Anger JT. Urinary Incontinence in Women. BMJ:2014;349:g4531
Wu C. Concomitant trocar-guided transvaginal mesh surgery with a midurethral sling in treating advanced pelvic organ prolapse associated with stress or occult stress urinary incontinence. Taiwanese J Obstet Gynecol 2013;52:516-522.
Wu J. Forecasting the Prevalence of Pelvic Floor Disorders in U.S. women 2010 to 2050. Obstetrics and Gynecology, 114:6, Dec 2009.
Wu J. Lifetime risk of stress urinary incontinence or pelvic organ prolapse surgery. Obstet Gynecol 2014; 123:1201-1206
Wu. Prevalence and incidence of urinary incontinence in a diverse population of women with noncancerous gynecologic conditions (2010)
Yazdany T. Suture complications in a teaching institution among patients undergoing uterosacral ligament suspension with permanent braided suture. Int Urogynecol J;2010:21:813-818.
Young SB, et al. Vaginal paravaginal repair. One-year outcomes. AJOG 2001; 185:1360-1367.
Young, Rosenblatt, et al. The Mersilene mesh suburethral sling: a clinical and urodynamic evaluation. AJOG 1995; 173:1719-1726.
Zhang Y, Jiang M, Tong X-W, Fan B-Z, Li H-F, Chen X-L. The comparison of an inexpensive-modified transobturator vaginal tape versus TVT-O procedure for the surgical treatment of female stress urinary incontinence. Taiwan J Obstet Gynecol 2011;50:318-321.
Zhong C, Yuan C, Guang-hui D, et al. Comparison of three kinds of mid-urethral slings for surgical treatment of female stress urinary incontinence. Urologia 2010;77:37-42.
Zhu L, Lang J, Hai N, Wong F. Comparing vaginal tape and transobturator tape for the treatment of mild and moderate stress incontinence. Int J Gynaecol Obstet 2007;99:14-17.

Medical Literature

Zullo MA, Plotti F, Calcagno M, et al. One-year follow-up of tension-free vaginal tape (TVT) and Transobturator suburethral tape from inside to outside (TVT-O) for surgical treatment of female stress urinary incontinence: a prospective randomised trial. *Eur Urol* 2007;51:1376-1382; discussion 1383-1384.

Zyczynski H. [Pop 597, 2 yr fu] Sexual activity and function in women more than 2 years after midurethral sling placement. *Am J Obstet Gynecol* 2012;207:421.e1-6.

Production Materials

Document Description [Bates Range]
10/12/1990 Letter from FDA re: N16374, Prolene Polypropylene Nonabsorbable Suture
2005-06 Prof Ed Slides _ Exhibit 127
2006 Mar 3 Flatow memo - CPC-2006-0165 Performance evaluation of TVT PROLENE blue Mesh_ Elongation Properties of Mechanical Cut verses Laser Cut
2007 Prolift Professional Education Slide Deck
2007 Prolift Surgeon's Resource Monograph
2007 Prolift Surgical Technique Guide
2008 Prolift Patient Brochure
2011 Pelvic Organ Prolapse and Stress Urinary Incontinence Patient Counseling Guide
24 Hour Summary of the Gastroenterology and Urology Devices Panel of the Medical Devices Advisory Committee Meeting [02.26.2016].
A Clinical Assessment of Gynemesh PS for the Repair of Pelvic Organ Prolapse by V. Lucente, et al. 1 pg.
A Solution-Gynecare TVT Tension-Free Support for Incontinence.
Application FMEA for TVT Classic Doc# FMEA-0000536 Rev.<1>
Brochure Pelvic Organ Prolapse Get the Facts, Be Informed, Make Your Best Decision dated in 2005 (8 pgs)
Brochure Treatment Options for Pelvic Organ Prolapse Stop coping. Start living. Dated in 2008 Gynecare Prolift (15 pgs)
Corporate Product Characterization Plan, TVT-Laser Cut Mesh. Dated 02/06/2006.
D00000019
D00000730
D00001256-2005 Prolift Ed.pdf (Gynecare Prolift: Pelvic Floor Repair Systems) [Native Format]
D00001260-2007 and 2008 Prolift and M Prof Ed.pdf (Gynecare Prolift: Pelvic Floor Repair Systems)[Native Format]
DEFT 730.1-730.72 - 2007 Prolift Surgeons Monograph
DEPO.ETH.MESH.00004755 - Guidoin Explant
Deposition Subject Matter-Design and Development of Mesh Products
Device Labeling Guidance
DX23600-R.1-3 - Prolene Resin Manufacturing Specifications 1.23.03
Email from Seppa re: Performance Evaluation of TVT Secur PROLENE Mesh: Mechanical vs. Laser Cut. Study (LIMS #BE-2004-1920)
Email from Seppa re: Performance Evaluation of TVT U PROLENE Mesh: Mechanical vs. Laser Cut. Study (LIMS #BE-2004-1920) Version 2
Email string re - Revised write up of the DeLeval and Waltregny visit
ETH.MESH.00020763 - Prolift +M Profession Education Slide Deck
ETH.MESH.00020764 - Prolift +M Profession Education Slide Deck
ETH.MESH.0003132 - Memo to Customer from Sean M. O'Bryan dated 2.8.05 regarding Gynecare Prolift
ETH.MESH.00031323
ETH.MESH.00031324-25 - Letter to Gregory Jones from Celia M. Witten with FDA dated 1.8.02 regarding K013718 Trade name Gynemesh Prolene Soft Nonabsorbable Synthetic Surgical Mesh for Pelvic Floor Repair
ETH.MESH.00071794 - Email re: TVT IFUs on tape extrusion, exposure and erosion
ETH.MESH.00093526-44 - Prolift +M Profession Education Slide Deck
ETH.MESH.00093991 - Prolift +M Profession Education Slide Deck

Production Materials

ETH.MESH.00161953-54
ETH.MESH.00167104-10 - 2006 Apr 19 - Laser Cut Mesh for Gynecare TVT- CER Laser Cut Mesh
ETH.MESH.00220335-36 - 12.2.1999 Memo re: Biocompatibility Risk Assessment for Soft Prolene Mesh.
ETH.MESH.00222852-63
ETH.MESH.00222899-909
ETH.MESH.00223779-84
ETH.MESH.00262015-016 - Dan Smith Email Plaintiffs Exhibit 2067
ETH.MESH.00262089-123
ETH.MESH.00295355 - 2010 TVT Exact Prof Ed
ETH.MESH.00341006-11
ETH.MESH.00349228 - Cytotoxicity Risk Assessment for the TVT (Ulmsten) Device
ETH.MESH.00369995 - 2008 TVT Family of Products
ETH.MESH.00371496-594
ETH.MESH.00372564-68 - Clinical Study Report Evaluation of the TVM technique for treatment of genital prolapse Protocol Number 2003-016
ETH.MESH.00373310 - Gynecare TVT Tension-Free Support for Incontinence: General Profession Education Deck.
ETH.MESH.00373310-88 - 2003 - TVT Support for Incontinence General Prof Ed Deck
ETH.MESH.00397674 - 2002 Dr. Miklos Minimizing and Managing TVT Complications
ETH.MESH.00442129 - PowerPoint Mechanical vs. "Machine"-cut Mesh, January 19, 2005 Prepared by: Allison London Brown & Gene Kammerer
ETH.MESH.00442129 (21168.2-21168.11)
ETH.MESH.00442825-26
ETH.MESH.00484929 - 2005-2006 Gynecare Prolift Pelvic Floor Repair Systems
ETH.MESH.00523942 - Waltregny 2005 ICS Presentation
ETH.MESH.00523942 - Waltregny 2005 ICS Presentation cover sheet
ETH.MESH.00524746-48
ETH.MESH.00525573
ETH.MESH.00526473-74 - Allison Brown Email re-Laser-cut Mesh
ETH.MESH.00541379-80 - Mesh Fraying for TVT Devices
ETH.MESH.00575257 - Abbrevio laser cut vs. mechanically cut - notes from meeting with de leval – inappropriate
ETH.MESH.00575270-273 - Jean de Leval Email Re: DSCN3332.JPG May 30, 2009
ETH.MESH.00584811-13 - Email string re-Ultrasonic Slitting of Prolene Mesh for TVT
ETH.MESH.00584811-13 - Memo from Kammerer/ Silimkhan re: Ultrasonic Slitting of PROLENE Mesh for TVT
ETH.MESH.00590896-897 - Piet Hinoul Email 3.11.09
ETH.MESH.00658177-198 - Surgeons Resource Monograph
ETH.MESH.00658177-98
ETH.MESH.00687819-22 - Email string re-Laser cut mesh
ETH.MESH.00823793-806
ETH.MESH.00857821 - Top Ten Reason to pursue Gynecare TVT Obturator System
ETH.MESH.00858080-081 - Perry Trial - Plaintiff's Exhibit 2313
ETH.MESH.00858096-97 - Gynecare R&D Monthly Update - May
ETH.MESH.00858175-176 - Mulberry Weekly Meeting MINUTES for 6.3.03

Production Materials

ETH.MESH.00858252-53 - 2004 Memo from London Brown to Dan Smith re Mechanical Cut vs. Laser Cut Mesh Rationale
ETH.MESH.00860239-310 - TVT-O IFU
ETH.MESH.00863391 - T-366 - Dan Smith email - particle loss
ETH.MESH.00865069-72
ETH.MESH.00870466 - Ethicon Expert Meeting-Meshes for Pelvic floor
ETH.MESH.00870466-76 - 6.2.2006 Ethicon Expert Meeting Meshes for Pelvic Floor Repair
ETH.MESH.00991195-257 - Clinical Study Report Evaluation of the TVM technique for treatment of genital prolapse Protocol Number CT-TVM-001-03
ETH.MESH.00993273 - 2006 TVT-O Summit Presentation by Raders and Lucente
ETH.MESH.00993273 - TVT Obturator Anatomic Considerations Clinical Update: Special Considerations, Complications.
ETH.MESH.01075187-215 - Clinical Expert Report Gynecare Prolift Pelvic Floor Repair System dated 7.2.10
ETH.MESH.01202189 - Stale Kvitle Email regarding Mini Me follow up from our visit May 20, 2009
ETH.MESH.01202190-191 - David Waltregny Email Re: Mini Me follow up from our visit May 21, 2009
ETH.MESH.01203957-97 - The future of surgical meshes-the industry's perspective
ETH.MESH.01210987-95
ETH.MESH.01219542-48 - Review of Surgeon Responses of VOC Questionnaire
ETH.MESH.01220135-45 - Email string re-New Standards for Urethral Slings
ETH.MESH.01222075-079
ETH.MESH.01222075-79
ETH.MESH.01228079-84 - Nilsson Podcast Transcript
ETH.MESH.01238454-56 - Email string re-TVTO length
ETH.MESH.01279975-976 - Harel Gadot Email re Next step in SUI sling
ETH.MESH.01310817-29 - Ethicon Biocompatibility Risk Assessment for Gynecare Prolift Total Pelvice Floor Repair System dated 1.19.05
ETH.MESH.01317508-613 - TVT Factbook DHF - Revised 05.14.2001
ETH.MESH.01320328-33 - Performance Evaluation of TVT Secur PROLENE Mesh: Mechanical vs. Laser Cut. Study (LIMS #BE-2004-1920)
ETH.MESH.01320351-67- Corporate Product Characterization Plan, TVT-Laser Cut Mesh. Dated 02/06/2006
ETH.MESH.01595614-753 - Prolift +M IFU
ETH.MESH.01612323-33 - Patient Brochure: Pelvic Organ Prolapse "Get the Facts, Be Informed, Make Your Best Decision."
ETH.MESH.01751069-94
ETH.MESH.01752532-35 - Mesh design argumentation issues
ETH.MESH.01784779-82
ETH.MESH.01784823-28 - Clinical Expert report-Laser Cut Mesh
ETH.MESH.01785259-260 - Email string re: +M relaxation
ETH.MESH.01808311-318 - Trip Report Michael Tracey
ETH.MESH.01809056-58
ETH.MESH.01809080-81
ETH.MESH.01809082-83 - Memo re: VOC on new laser cut TVT mesh
ETH.MESH.01813259; ETH.MESH.02180759-61 - Email string with attachment re-Jeans Ideas.
ETH.MESH.01813975-78 - Email string re-FDA Prep-Plaintiff's Exhibit 460
ETH.MESH.01815660-64

Production Materials

ETH.MESH.01822361-363 - Dan Smith Email regarding TVT Secur October 18, 2006
ETH.MESH.01822361-62 - Dan Smith Email regarding TVT-Secur leading to less retention
ETH.MESH.02001398-473 - Prolift IFU
ETH.MESH.02017152-56 – 02.23.2007 Ethicon Expert Meeting: Meshes for Pelvic Floor Repair
ETH.MESH.02017152-58
ETH.MESH.02026591-95 - MSDS-c4001 Polypropylene Homopolymer
ETH.MESH.02090196-209 - Plaintiff's Exhibit 4085-04.15.2008
ETH.MESH.02105765-71 - Information on Surgical Mesh for Pelvic Organ Prolapse and Stress Urinary Incontinence posted by FDA dated 10.23.08 at bottom; Information on Surgical Mesh for Hernia Repairs posted by FDA dated 10.23.08
ETH.MESH.02211890 - Test Report
ETH.MESH.02229063 - Secur placement
ETH.MESH.02232773-801 - Prolift +M Profession Education Slide Deck
ETH.MESH.02232854-74 - Prolift +M Profession Education Slide Deck
ETH.MESH.02233126-187 - Prolift +M Profession Education Slide Deck
ETH.MESH.02233290 - Prolift +M Profession Education Slide Deck
ETH.MESH.02236604-09
ETH.MESH.02248778 - Mechanical vs Machine Cut (Laser.Ultrasonic) Mesh Particle loss less than 2 percent for both
ETH.MESH.02293715-6
ETH.MESH.02319312 - Memo re-TVT-base & TVT-O Complaint Review for Laser Cut Mesh Risk Analysis
ETH.MESH.02330766 - TVT-O (Reproducible Vaginal Approach) (TVTO-384-10-8-12)Production 36_000124_4580875_d
ETH.MESH.02340306-69 - TVT IFU
ETH.MESH.02340331-335 - TVT IFU (12.22.03 to 02.11.05)
ETH.MESH.02340471-503 - TVT IFU
ETH.MESH.02340504
ETH.MESH.02340504-67 - TVT IFU
ETH.MESH.02340529-533
ETH.MESH.02340568-90 - TVT-S IFU
ETH.MESH.02340756-828 - TVT-O IFU
ETH.MESH.02340829-835 - TVT-O IFU - (01.07.04 to 03.04.05)
ETH.MESH.02340829-901 - TVT-O IFU
ETH.MESH.02340902-08
ETH.MESH.02340902-73 - TVT-O IFU
ETH.MESH.02340974-1046 - TVT-O IFU
ETH.MESH.02341203-13 - TVT Abbrevio IFU
ETH.MESH.02341454-521 - Prolift IFU
ETH.MESH.02341522-27 - 2005 Prolift IFU
ETH.MESH.02341522-89 - Prolift IFU
ETH.MESH.02341658-733 - Prolift IFU
ETH.MESH.02341734-809 - Prolift IFU
ETH.MESH.02614610-24 - Performance Evaluation of TVT U PROLENE Mesh: Mechanical vs. Laser Cut. Study (LIMS #BE-2004-1920) Version 2
ETH.MESH.02615519-658 - Prolift +M IFU
ETH.MESH.03259439-40 - 4.24.2009 Gauld email chain re Green Journal

Production Materials

ETH.MESH.03364663-66
ETH.MESH.03365250-1
ETH.MESH.03427878-83
ETH.MESH.03427878-883 - TVT IFU - (11.29.10 to 11.26.14)
ETH.MESH.03427878-946 - TVT IFU
ETH.MESH.03458123-38 - Patient Brochure
ETH.MESH.03458123-38 - TVT Patient Brochure
ETH.MESH.03459088-104 - Patient Brochure
ETH.MESH.03667696 – Company Procedure for US Regulatory Affairs Review of Promotion and Advertising Material for Medical Devices
ETH.MESH.03715978 - Weisberg email re: TVT question.
ETH.MESH.03736120-27 - Gynecare Gynemesh PS a New Mesh for Pelvic Floor Repair Early Clinical Experience
ETH.MESH.03751819 - 2009 The Science of What's Left Behind
ETH.MESH.03905472-77 - Email string re-TVT recommendation from Dr. Alex Wang
ETH.MESH.03905968-75 - 2005 Prolift Patient Brochure
ETH.MESH.03905976-91 - Patient Brochure
ETH.MESH.03905992-6000 - Patient Brochure
ETH.MESH.03906001-20 - Prolift +M Patient Brochure
ETH.MESH.03906037-52 - Patient Brochure
ETH.MESH.03907468-9 - Second Generation TVT - by Axel Arnaud
ETH.MESH.03910175 - Email string re - Soft Prolene
ETH.MESH.03910418-21 - Email string re-Mini TVT - mesh adjustment
ETH.MESH.03911107-08 - Email string re-TVT complications (an Prof. Hausler)
ETH.MESH.03913357-359 - Axel Arnaud Email 5.31.07 Re TVT TVT-O
ETH.MESH.03916905-13 - Plaintiff's Exhibit 3827
ETH.MESH.03922926-28
ETH.MESH.03924557-86 - Meshes in Pelvic Floor Repair-Findings from literature review and conversations-interviews with surgeons, June 6, 2000.
ETH.MESH.03930120-123 - Nilsson C. Seven-Year Follow-up of the Tension-Free Vaginal Tape Procedure for Treatment of Urinary Incontinence. Obstet Gynecol 2004; 104(6): 1259-62
ETH.MESH.03932909-11
ETH.MESH.03932909-911 - Confidential - History of TVT-O
ETH.MESH.03932912 - The History of TVT
ETH.MESH.03932912-14 - The History of TVT
ETH.MESH.03934952-67
ETH.MESH.03941623 - DeLeval Email RE: TVT ABBREVO ALERT - French and English Email and English Translation Certification Plaintiff's Exhibit 3619- Perry
ETH.MESH.04048515-20
ETH.MESH.04048515-520 - Carl Nilsson KOL Interview Project Scion 06.18.08
ETH.MESH.04081189 - Meeting Agenda
ETH.MESH.04082973 - Possible Complications for Surgeries to Correct POP and SUI
ETH.MESH.04092868 - Email re : 10100080654 and TVT IFUs
ETH.MESH.04094863-864
ETH.MESH.04181761-62 - Gynecare Prolift Pelvic Floor Repair System Physician Learner Profile
ETH.MESH.04384126-65
ETH.MESH.04938298-299 - Piet Hinoul Email Re: Prof. de Leval - TVT Abbrevio

Production Materials

ETH.MESH.04939001
ETH.MESH.04941016 - Lightweight Mesh Developments (Powerpoint)
ETH.MESH.04945231-239 - Email string re-Ultrapro vs Prolene Soft Mesh
ETH.MESH.04945496 - Bernd Klosterhalfen Email Re: Ultrapro vs. Prolene Soft Mesh April 18, 2005
ETH.MESH.05222673-705 - TVT IFU
ETH.MESH.05225354-85 - TVT IFU
ETH.MESH.05225380-384 - TVT IFU - (09.08.00 to 11.26.03)
ETH.MESH.05315252-65
ETH.MESH.05337217-220 - Email string, top one from D. Miller to J. Paradise, et al
ETH.MESH.05347751-762 - Email string re Investigator-initiated studied policy
ETH.MESH.05479411 - The (clinical) argument of lightweight mesh in abdominal surgery
ETH.MESH.05479535
ETH.MESH.05588123-126 - Stephen Wohler Email - AW: How inert is polypropylene? July 9, 2007
ETH.MESH.05644163-171 - Pelvic Floor Repair-Surgeon's Feed-back on Mesh Concept
ETH.MESH.05701011-1058
ETH.MESH.05795421-508 - 2001 slides from Parisi binder
ETH.MESH.05795537-99 - 1998 TVT Slide Deck
ETH.MESH.05799233-316 - TVT-E IFU
ETH.MESH.05799233-39 - TVT Exact IFU
ETH.MESH.05918776 - Email re: Marlex Experience
ETH.MESH.05958248 - Surgeons Resource Monograph
ETH.MESH.05998835-836 - Piet Hinoul Email Re: ALERTE TVT ABBREVO
ETH.MESH.06049894-96 - FDA posting FDA Safety Communication: Update on Serious Complications Associated with Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse issued 7.13.11
ETH.MESH.06087471-2 - Patient Brochure
ETH.MESH.06087513-4 - Patient Brochure
ETH.MESH.06592243 - 09.14.2012 Email from Carl Nilsson to Laura Angelini
ETH.MESH.06695438 - Justification for Utilizing the Elasticity Test as the Elongation Requirements on TVT LCM
ETH.MESH.06696411-19
ETH.MESH.06859834-35
ETH.MESH.06878438-39
ETH.MESH.06882641-2
ETH.MESH.06886410-11
ETH.MESH.06887138-40 - Waltregny email written on behalf of Professor de Leval.
ETH.MESH.06887244 - 07.16.04 David Waltregny email to Dan Smith re: TVT-O.
ETH.MESH.06917699-704 - Form For Customer Requirements Specification (CRS) For Project TVT-O PA
ETH.MESH.06923868-71 - TVTO-PA Clinical Strategy - 8.21.13 Exhibit A.M. Mitchell T-2177
ETH.MESH.07192929 - Investigating Mesh Erosion in Pelvic Floor Repair Powerpoint
ETH.MESH.07226579-590 - 2000 - TVT CER
ETH.MESH.07246690-719 - Study Report dated May 8, 2012: A systematic review of patient-years of experience in prospective randomized controlled trials (RCTs) in incontinence.
ETH.MESH.07351297 - Application FMEA for TVT Classic Doc# FMEA-0000536 Rev.<1>
ETH.MESH.07383730-31 - Email string re-Ultrapro mesh information-identical mesh to Prolift +M
ETH.MESH.07393700

Production Materials

ETH.MESH.07692905-7
ETH.MESH.07937826-828
ETH.MESH.08003181-96 - TVT Patient Brochure
ETH.MESH.08003231-46 - Patient Brochure
ETH.MESH.08003231-46 - TVT Patient Brochure
ETH.MESH.08003247-62 - Patient Brochure
ETH.MESH.08003263-78 - Patient Brochure
ETH.MESH.08003279-94 - Patient Brochure
ETH.MESH.08003279-94 - TVT Patient Brochure
ETH.MESH.08003295-301
ETH.MESH.08003295-302 - TVT Patient Brochure
ETH.MESH.08003303-17
ETH.MESH.08107354 - Gynecare TVT Tension-free Support for Incontinence: Professional Education Slides
ETH.MESH.08117473 - 2012 TVT-Exact Updated Prof Ed Slide Deck w Production Cover
ETH.MESH.08117625-26 - Prolift +M Profession Education Slide Deck
ETH.MESH.08156958 - 2002 TVT Advanced Users Forum Presentation
ETH.MESH.08299913-917 - Nilsson C. Seventeen years' follow-up of the tension-free vaginal tape procedure for female stress urinary incontinence. Int Urogynecol J 2013; 24(8): 1265-9 [9.11.13 Exhibit T-1271]
ETH.MESH.08307644-45 - Email from Hinoul re: RCTs to 11/2012 on TVT-O and TVT with Excel attachment
ETH.MESH.08315779 - Clinical Expert report-09.25.2012
ETH.MESH.08334244; ETH.MESH.08334245 - Email re Photographs of LCM vs MCM with attachments
ETH.MESH.08334244-45 - Email string re-Photographs of LCM vs MCM with powerpoint attachment
ETH.MESH.09100506 - 2005 Prolift Profession Educational Slide Deck
ETH.MESH.09264945-46 - Prolene Mesh Re-Design Project
ETH.MESH.09281461 - TVT-Abbrevio - a modified version of TVT-O 2010
ETH.MESH.09630649 - 4.26.1973 FDA Letter RE: NDA 16-374
ETH.MESH.09656792
ETH.MESH.09656795
ETH.MESH.09744840-45 - Patient Brochure
ETH.MESH.09744848-55 - Patient Brochure
ETH.MESH.09744858-63 - Patient Brochure
ETH.MESH.09744858-63 - TVT Patient Brochure
ETH.MESH.09746948-998 - License and Supply Agreement [Rosenzweig Exhibit 21 - 12.22.15]
ETH.MESH.09747038-097 - Medscand Agreement
ETH.MESH.09747337-369 - Asset Purchase Agreement
ETH.MESH.09888187-223 - Seven Year Data for Ten Year Prolene Study - Plaintiff's Exhibit 4102
ETH.MESH.09922570-578 - R&D Memorandum of PA Mesh Assessments for TVTO-PA Revision 1
ETH.MESH.10027307-28 - TVT Surgeons Resource Monograph - June 2000
ETH.MESH.10220659 - Gynecare TVT Tension-free Support for Incontinence: Advanced Users Forum for the Experienced Clinician
ETH.MESH.10281860 - 2013 Clinical Expertise TVT Prof Ed Slide Deck
ETH.MESH.10281860 - Tension-Free Midurethral Sling: Market Update.
ETH.MESH.11336474-87 - Ten Year In Vivo Suture Study Scanning Electron Microscopy-5 Year Report - Plaintiff's Exhibit 4111

Production Materials

ETH.MESH.1210987-95 - Email from Hinoul re: South Africa, TVTO sheaths getting stuck upon removal
ETH.MESH.1222075-79 - Letter to Weisberg/Robinson re: Elongation Characteristics of Laster Cut PROLENE Mesh for TVT, from Kammerer
ETH.MESH.12831391-92 - P4128 – IR Microscopy of Explanted Prolene received from Prof. R. Guidoin.
ETH.MESH.161953-54 - 10/12/1990 Letter from FDA re: N16374, Prolene Polypropylene Nonabsorbable Suture Gynecare TVT Obturator System Sales Materials
ETH.MESH.1751069-94 - 09/07/2009 Safety review: TVT and TVT-O procedures
ETH.MESH.1784779-82 - Memo re: TVT-Base & TVT-O Complaint Review for Laser Cut Mesh (LCM) Risk Analysis
ETH.MESH.1809056-58 - Email re: Important Laser cut mesh update
ETH.MESH.1809080-81 - Memo re: Comparison of Laser-cut and machine-cut TVT Mesh to Meshes from Competitive Devices (BE02004-1641)
ETH.MESH.1815660-64 - Project Mulberry, Preliminary Clinical Diligence Report
ETH.MESH.22129031-37
ETH.MESH.222852-63 - 12/15/2003, Gynecare Final Report # 03*0740, TVT Obturator System
ETH.MESH.222899-909 - Clinical Expert Report
ETH.MESH.2236604-09 - TVT Obturator Brochure; “Results, Precision & Proven Mesh”
ETH.MESH.223779-84 - Risk Management Report, TVT Laser Cut Mesh (LCM). Document Number RMR-0000017, Rev. 3
ETH.MESH.2293715-16 - Email from Dan Smith re: NG TVT-O NDP – Outcomes from Kickoff Meeting with Pr. De Leval & Dr. Waltregny
ETH.MESH.2340504-33 - TVT IFU
ETH.MESH.2340902-08 - TVT O IFU
ETH.MESH.262089-123 - Manuscript Draft: (de Leval) Novel surgical technique for the treatment of female stress urinary incontinence: Transobturator Vaginal Tape Inside-Out
ETH.MESH.3364663-66 - Email from O’Bryan re: ifu
ETH.MESH.3365250-51 - Email from Weisberg re: IFU update
ETH.MESH.341006-11 - 11/11/10 Letter from John Young re: Global Regulatory Strategy for TVT IFU (RMC P15506/E) Update (Part II, RA0001-2010, Rev. 1)
ETH.MESH.3427878-83 - TVT IFU
ETH.MESH.371496-594 - 01/28/98 Letter from FDA re: K974098 TVT System
ETH.MESH.3911390-91 - Email from Arnaud re: Transient Leg Pain with Mulberry
ETH.MESH.3922926-28 - Email re: OR Agenda Tunn
ETH.MESH.3932909-11 - History of TVT-O
ETH.MESH.3934952-67 - Tension-Free Vaginal Obturator Tape (TVOT) – April 30, 2003 – Meeting Report
ETH.MESH.3939167-71 - Waltregny (2006) Inside Out Transobturator Vaginal Tape for the Treatment of Female Stress Urinary Incontinence: Interim Results of a Prospective Study After a 1-Year Minimum Followup
ETH.MESH.4048515-20 - KOL Interview
ETH.MESH.4384126-65 - Clinical Evaluation Report, Gynecare TVT Tension-free Vaginal Tape / Tension-free Vaginal Tape Accessory Abdominal Guide
ETH.MESH.442825-26 - Email re: TVT Laser Mesh info
ETH.MESH.52235354-85
ETH.MESH.524746-48 - Email re: TVT Meeting with Agency

Production Materials

ETH.MESH.525573 - Email re: TVT Laser Cut Mesh
ETH.MESH.5315252-65 - Final Report, PSE Accession No. 97-0197, Project No. 16672
ETH.MESH.658177-98 - TVT Surgeon's Resource Monograph, A Report of the June 2000 Summit Meeting
ETH.MESH.6696411-19 - Email re: Performance Evaluation of TVT Prolene Blue Mesh
ETH.MESH.6859834-35 - Email re: Laser Cut TVT
ETH.MESH.6878438-39 - Memo re: VOC on new Laser Cut TVT Mesh
ETH.MESH.6882641-42 - Email from O'Bryan re: GYNECARE TVT Obturator System – FDA
ETH.MESH.6886410-11 - Email from Weisberg re: Mulberry
ETH.MESH.7393700 - 05/13/2003 Memo to Gynecare Continence Health Sales Team re: Gynecare TVT Physician Training Policy
ETH.MESH.7692905-07 - Email re: Mesh Fraying Dr. EBERHARD letter
ETH.MESH.8003295-301 - Patient Brochure: "Stop coping, start living."
ETH.MESH.8003303-17 - Patient Brochure: "Stop coping, start living."
ETH.MESH.823793-806 - Transobturator Vaginal Tape Inside-Out (TVT-O): From Development to Clinical Experience
ETH.MESH.865069-72 - Email from Dan Smith re: Draft report translated by "Babel fish" http://babelfish.altavista.com/tr
ETH.MESH.PM.000001 - Prolift Professional Education Videos
ETH.MESH.PM.000002 - TVT-O Procedural Video
ETH.MESH.PM.000006 - Anatomy Videos
ETH.MESH.PM.000007 - Prolift Professional Education Videos
ETH.MESH.PM.000009 - Anatomy Videos
ETH.MESH.PM.000014 - Prolift Professional Education Videos
ETH.MESH.PM.000015 - Prolift Professional Education Videos
ETH.MESH.PM.000019 - Prolift Professional Education Videos
ETH.MESH.PM.000027 - Prolift Professional Education Videos
ETH.MESH.PM.000032 - Prolift Professional Education Videos
ETH.MESH.PM.000033 - Prolift Professional Education Videos
ETH.MESH.PM.000034 - Prolift +M Professional Education Videos
ETH.MESH.PM.000037 - Prolift Professional Education Videos
ETH.MESH.PM.000038 - Prolift Professional Education Videos
ETH.MESH.PM.000039 - Prolift Professional Education Videos
ETH.MESH.PM.000048 - Prolift +M Professional Education Videos
ETH.MESH.PM.000057 - Anatomy Videos
ETH.MESH.PM.000058 - Prolift Professional Education Videos
ETH.MESH.PM.000065 - Prolift Professional Education Videos
ETH.MESH.PM.000068 - Anatomy Videos
ETH.MESH.PM.000075 - Prolift Professional Education Videos
ETH.MESH.PM.000076 - Prolift Professional Education Videos
ETH.MESH.PM.000078 - Prolift Professional Education Videos
ETH.MESH.PM.000088 - Anatomy Videos
ETH.MESH.PM.000089 - Anatomy Videos
ETH.MESH.PM.000090 - Anatomy Videos
ETH.MESH.PM.000092 - Prolift +M Professional Education Videos
ETH.MESH.PM.000134 - Anatomy Videos
ETH.MESH.PM.000151 - Anatomy Videos

Production Materials

ETH.MESH.PM.000154 - Anatomy Videos
ETH.MESH.PM.000179 - TVT Secur IFU V5e 2005 to disc (Original from Prof Ed DVD)
ETH.MESH.PM.000179 - TVT-Secur Key Tech Points 5.24.2007 (Color Original from Prof Ed DVD)
ETH.MESH.PM.000190 - Prolift Professional Education Videos
ETH.MESH.PM.000192 - Prolift Professional Education Videos
ETH.MESH-08476311 - Cytotoxicity assessment of Ulstem sling
ETH_10437 - Gynemesh PS IFU
ETH-00254-61 - Patient Brochure Pelvic Organ Prolapse Get the Facts, Be Informed, Make Your Best Decision dated in 2006
ETH-00295-300 - Exh. 10 Gynecare Prolift IFU dated 2004
ETH-01363-65 - Exh. 15 Letter to Bryan Lisa from Mark M. Melkerson with FDA stamped 5.15.08 re: K071512 Gynecare Prolift with attached 510(k) K071512
ETH-02387 - Lucente V. Prospective Clinical Assessment Of The Total Vaginal Mesh (TVM) Technique For Treatment Of Pelvic Organ Prolapse - 6 And 12 Month Results
ETH-07252-81 - Gynecare Prolift Pelvic Floor Repair System Total, Anterior and Posterior Pelvic Floor Repair Surgical Technique
ETH-0977 - 2009 Prolift IFU
ETH-10505-96 - 2008 Prolift Slide deck
ETH-10977-83 - Gynecare Prolift IFU dated 2009
ETH-18415 - Memo to Hospital Materials Managers & or Directors from Gynecare Worldwide Ethicon dated 10.10.02 regarding Gynecare Gynemesh*PS
Ethicon Final Report, PSE Accession No. 00-0035 An Exploratory 91-day Tissue Reaction Study of Polypropylene-Based Surgical Mesh in Rats (PSE Acc. No. 00-0035)
Exh 59 - Gynecare Prolift Pelvic Floor Repair System Physician Learner Profile (2 pages)
Exh 59 - Materials sent to Kaminski for review 01-30-2012
Exhibit 127 - Gynecare prolift pelvic floor repair slides (page 1-30)
Exhibit 128 - Gynecare prolift pelvic floor repair slides
Exhibit 59 - Gynecare prolift pelvic floor repair system continuum of education
FDA - "Considerations about Surgical Mesh for SUI"
FDA - Device Labeling Guidance #G91-1 March 1991
FDA 24 Hour Summary
FDA Considerations about Surgical Mesh for SUI [03.27.2013].
FDA Executive Summary
FDA Executive Summary: Surgical mesh for treatment of women with POP and SUI [09.08.2011]
FDA News Release: Surgical Placement of mesh to repair pelvic organ prolapse poses risk [07.13.2011].
FDA Presentation - FDA Perspective on Surgical Mesh for Stress Urinary Incontinence (SUI). (Nancy Pressly)
FDA Public Health Notification: Serious Complications Associated with Transvaginal Placement of Surgical Mesh in Repair of Pelvic Organ Prolapse and Stress Urinary Incontinence issued 10.20.08
FDA Public Health Notification: Serious Complications Associated with Transvaginal Placement of Surgical Mesh in Repair of POP and SUI. Issued: 10.20.2008.
FDA Questions: Reclassification of the Urogynecologic Surgical Mesh Instrumentation.
Get the facts, be informed, make your best decision – (Defense 824)
Gynecare Prolift Pelvic Floor Repair System Surgical Technique Guide
Gynecare TVT Tension-free Support for Incontinence: Advanced Users Forum for the Experienced Clinician

Production Materials

Gynecare TVT Tension-free Support for Incontinence: Professional Education Slides
Gynecology Solutions
HMESH.ETH.11642462 – Franchise Regulatory Labeling Guidance
Johnson & Johnson - Our Credo [8.9.13 A.M. Mitchell Exhibit T-3134]
June, 2009 Klosterhalfen intermediate report on explanted mesh (highlighted)
Klinge Presentation PVDF: a new alternative? Meeting o Hernia Experts Exhibit P-1944
Letter from Dr. Joerg L. Holste, re: Biocompatibility Risk Assessment for Laser-cut Implant of Gynecare TVT
Librojo updated TVT Declaration (10-23-15) [12 pages]
May 15, 2008 510(K) Summary of Safety and Effectiveness
McCabe email re - Sheath Sales Tool - 464
Memo from Kammerer/ Silimkhan re: Ultrasonic Slitting of PROLENE Mesh for TVT
MSDS-Marlex Polypropylenes
OTHER MATERIALS
P4122 – SEM Figure 183: Sample J7959 13409 (Photographs)
Payments to Medscand [9.16.13 Exhibit T-3192]
Payments to Medscand by J&J [9.16.13 Exhibit T-3183]
Payments to Ulmsten as Consultant [9.16.13 Exhibit T-3204]
PowerPoint Mechanical vs. “Machine”-cut Mesh, January 19, 2005 Prepared by: Allison London Brown & Gene Kammerer
Published clinical data and RCTs - Ethicon.com - 4204-C
Seven Year Dog Study - T-2263
Summary of Safety and Effectiveness submitted by Bryan Lisa for Gynecare Prolift and Prolift +M stamped 5.15.08 (2 pgs) – FOUND
Summary of TVT-O Long-Term Studies
Surgeon's Rescource Monograph for TVT
TVT & TVT-O Long Term Studies - No Confidential Stamp
TVT Abbrevio IFU – 01.2015
TVT Exact IFU – 01.2015
TVT IFU – 01.2015
TVT Patient Brochure - 2015
TVT-O la bandelette trans-obturatrice (Photograph)
TVT-Obturator – 01.2015
TVT-R Prof Education Slide Deck

Company Witness Depositions

Deponent [Date of Deposition]

Hinoul, Piet - 04.05.2012 Deposition Testimony
Hinoul, Piet - 09.18.2012 Deposition Testimony
Weisberg, Martin - 05.24.2012 Deposition Testimony
Weisberg, Martin - 8.9.2013 Deposition Testimony
Weisberg, Martin - 11.12.2015 Deposition Testimony
Weisberg, Martin - 11.13.2015 Deposition Testimony
Nager, Charles - 06.10.2014 Deposition Testimony

Other Materials

Other
05.15.2008 Summary of Safety and Effectiveness
2007 Prolift Professional Education Slide Deck
2007 Prolift Surgeon's Resource Monograph
2007 Prolift Surgical Technique Guide
2008 Prolift Patient Brochure
2011 Pelvic Organ Prolapse and Stress Urinary Incontinence Patient Counseling Guide
2012 ABOG - Guide to Learning in Female Pelvic Medicine and Reconstructive Surgery
2012 Update of AUA SUI Guidelines- Appendices A11 and A16 (re Complications)
2013 Sept. NICE 171 Guideline - The management of urinary incontinence in women
2015 FDA Consideration about Surgical Mesh for SUI
52 Slides - Gynecare Prolift Pelvic Floor Repair Systems dated 2007 and 2008
53 Slides - Gynecare Prolift dated 2005 and 2006
6.2.2006 Ethicon Expert Meeting Meshes for Pelvic Floor Repair
7/13/2011 FDA Safty Communication: UPDATE on the serious complications associated with transvaginal placement of surgical mesh for Pelvic Organ Prolapse
ACGME Program Requirements.
ACOG - "ACOG Practice Bulletin: Clinical Management Guidelines for Obsterician-Gynecologists" {Number 63}
ACOG - "ACOG Technical Bulletin: Urinary Incontinence" (Number 213)
ACOG (2005) Practice Bulletin, Number 63, June 2005. Urinary Incontinence in Women. Obstet Gynecol 2005; 105:1533-45
ACOG (2011) Committee Opinion Number 513. Vaginal placement of synthetic mesh for pelvic organ prolapse. American College of Obstetricians and Gynecologists. Obstet Gynecol 2011;188-:1459-1464
ACOG (2011) Frequently Asked Questions. American College of Obstetricians and Gynecologists. ACOG FAQ2
ACOG (2013) Frequently Asked Questions. American College of Obstetricians and Gynecologists. ACOG FAQ183.
ACOG (2015) Practice Bulletin Summary of 155 - Urinary Incontinence in Women (replaces 63 from June 2005)
ACOG (The American College of Obstetricians and Gynecologists) - "Frequently Asked Questions: Surgery for Stress Urinary Incontinence" (FAQ166)
ACOG (The American College of Obstetricians and Gynecologists) - "Frequently Asked Questions: Urinary Incontinence" (FAQ081)
ACOG, AUGS Practice Bulletin Summary of 155 (replaces 63 from 2005) Urinary Incontinence in Women. November 2015.
AUA – Urinary Incontinence. Updated August 2012
AUA (2011) - Position Statement on the Use of Vaginal Mesh for SUI
AUA (2011) - Position Statement on the Use of Vaginal Mesh for the Surgical Treatment of Stress Urinary Incontinence
AUA (2011) Position Statement on the use of vaginal mesh for the repair of pelvic organ prolapse
AUA (2013) Position Statement on the Use of Vaginal mesh for the Surgical Treatment of Stress Urinary Incontinence
AUA (2013) SUI Patient Guide: 1 in 3 women experience Stress Urinary Incontinence
AUA (American Urologic Association) - "A Patient's Guide - 1 in 3 Women experience Stress Urinary Incontinence"

Other Materials

AUA (American Urological Association) - "A Monograph from the AUA Foundation: Stress Urinary Incontinence"
AUA (American Urological Association) - "AUA Position Statement on the Use of Vaginal Mesh for the Surgical Treatment of Stress Urinary Incontinence"
AUA Foundation (2011) Stress Urinary Incontinence Monograph
AUA Guideline for the Surgical Management of Female Stress Urinary Incontinence Update (2009)
AUA Guideline for the Surgical Management of Female Stress Urinary Incontinence: 2009 Update
AUA Guideline for the Surgical Management of Stress Urinary Incontinence (2009)
AUA National Medical Student Curriculum Urinary Incontinence
AUA Position Statement on the use of vaginal mesh for the repair of pelvic organ prolapse (Nov. 2011)
AUA Position Statement on the Use of Vaginal Mesh for the Surgical Treatment of Stress Urinary Incontinence (Published online, November 2011)
AUA Position Statement on the Use of Vaginal Mesh for the Surgical Treatment of Stress Urinary Incontinence, Nov. 2011
AUA Update Guideline for the Surgical Management of Stress Urinary Incontinence (2010)
AUA-SUI Pocket Guide for Physicians
AUGS (2013) Position Statement on restriction of surgical options for pelvic floor disorders. Advancing Female Pelvic Medicine and Reconstructive Surgery. 2013;March:1-6
AUGS (American Urogynecologic Society) - "Position Statement on Restrictions of Surgical Options for Pelvic Floor Disorders"
AUGS (American Urogynecologic Society) & SUFU (Society of Urodynamics, Female Pelvic Medicine and Urogenital Reconstruction) - "Position Statement on Mesh Midurethral Slings for Stress Urinary Incontinence"
AUGS Position Statement on Mesh Midurethral Slings for Stress Urinary Incontinence, published 01/03/2014
AUGS Position Statement on Restriction of Surgical Options for Pelvic Floor Disorders (published March 2013)
AUGS Position Statement on Restrictions of Surgical Options for Pelvic Floor Disorders
AUGS Resident Learning Objectives
AUGS SUFU Frequently Asked Questions by Patients MUS for SUI
AUGS SUFU Frequently Asked Questions by Providers MUS for SUI
AUGS SUFU Position Statement on MUS for SUI
AUGS SUFU Provider FAQs MUS for SUI (2014 Mar 12)
AUGS webpage re: Mesh Information for Patients with Pelvic Floor Disorders (http://www.voicesforpfd.org/p/cm/ld/fid=87)
AUGS: Blogs Organizations Lend their Support to Mid-urethral Slings
AUGS-SUFU (2014 Jan) MUS Position Statement APPROVED 1 3 2014
AUGS-SUFU MUS Position Statement updated June 2016
BAUS (The British Association of Urological Surgeons) - "Synthetic Vaginal Tapes for Stress Incontinence"
Deposition Subject Matter-Design and Development of Mesh Products
Development of the inside out approach (No bates Numbers)
Device Labeling Guidance
Device Labeling. 21 CFR 801.109(c)
EAU (European Association of Urology) - "EAU Guidelines on Surgical Treatment of Urinary Incontinence"

Other Materials

FDA - Device Labeling Guidance #G91-1 March 1991
FDA Considerations about Surgical Mesh for SUI
FDA Considerations about Surgical Mesh for SUI [03.27.2013].
FDA Executive Summary: Surgical mesh for treatment of women with POP and SUI [09.08.2011]
FDA March 27, 2013 Statement, Considerations about Surgical Mesh for SUI
FDA News Release: Surgical Placement of mesh to repair pelvic organ prolapse poses risk [07.13.2011].
FDA Public Health Notification - 2008 Oct. 20
FDA Public Health Notification - 2011 July 11
FDA Public Health Notification - Serious Complications Associated with Transvaginal Placement of Surgical Mesh in Repair of Pelvic Organ Prolapse and Stress Urinary Incontinence (2008)
FDA Public Health Notification. 2008. http://www.fda.gov/MedicalDevices/Safety/AlertsandNotices/PublicHealthNotifications/
FDA Public Health Notification. 2011 http://www.fda.gov/MedicalDevices/Safety/AlertsandNotices/ucm262435
FDA Public Health Notification: Serious Complications Associated with Transvaginal Placement of Surgical Mesh in Repair of POP and SUI. Issued: 10.20.2008.
FDA Questions: Reclassification of the Urogynecologic Surgical Mesh Instrumentation.
FDA Safety Communication 7.13.11 - Update on Serious Complications Associated with Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse
ICS (International Continence Society) - "ICS Fact Sheets: A Background to Urinary and Faecal Incontinence"
ICS Fact Sheet 2015
International Continence Society Stress Urinary Incontinence Fact Sheet (2013)
IUGA (2011) Pelvic Organ Prolapse A guide for women
IUGA (2014 July) Position Statement on Mid-Urethral Slings for Stress Urinary Incontinence
IUGA (International Urogynecological Association) - "Stress Urinary Incontinence: A Guide for Women"
IUGA Mid-urethral sling (MUS) procedures for stress incontinence (2011)
IUGA Position Statement on MUS for SUI (2014)
Joint ACOG-AUGS (2014 June) Position Statement on uncomplicated Stress Urinary Incontinence - CO 603
NICE Clinical Guideline 171- Urinary Incontinence: The management of urinary incontinence in women. Issued September 2013. (guidance.nice.org.uk/cg171)
Oxford Levels of Evidence; www.cebi.ox.ac.uk/fileadmin/_processed_/csm_Evidence_pyramid_bluef5c85529a0.jpg
RANZOG and UGSA 2014 Position Statement
Rosenzweig, Bruce (Carlino) Deposition Exhibits - 12.22.2015
The FDA and Mesh, What You Should Know as a Reconstructive Pelvic Surgeon by Lucente, V.; Cassidenti, A.; Culligan, P. White Paper Dated February 9, 2016
The King's Health Questionnaire. Linda Cardozo and Con Kelleher, 1997
Update AUA-SUI Guideline for the Surgical Management of Female Stress Urinary Incontinence: 2009 Update - Appendices A11 and A16 (re Complications)

MDL Wave Cases

Expert Reports
Blaivas, Jerry (TVT-O General) - 02.01.2016
Guelcher, Scott (General) - 5.05.16
Jordi, Howard (General) - 2.01.16
Kohli, Neeraj (TVT-O General) - 01.2016
Pence, Peggy (Notice of Adoption of Prior Reports) - 02.01.2016
Pence, Peggy (Supplemental TVT & TVT-O General) - 03.02.2016
Pence, Peggy (Supplemental TVT-O General) - 04.24.15
Pence, Peggy (TVT General) - 10.14.2013
Pence, Peggy (TVT-O General) - 07.17.2014
Plaintiff expert reports and materials cited in Wave general reports of Rosenzweig
Plaintiffs' Wave general expert reports and materials cited
Rosenzweig, Bruce (General) - 06.09.2014
Rosenzweig, Bruce (Huskey/Edwards) - 02.21.2014
Rosenzweig, Bruce (Lewis/Brown) - 10.14.2013
Rosenzweig, Bruce (MDL Design Defect) - 08.24.2015
Rosenzweig, Bruce (Ramirez) - 04.24.2015
Rosenzweig, Bruce (TVT, TVT-O Notice of Adoption of Prior Reports) - 12.15.2015
Wilson, Anne (TVT-O General) - Received 07.08.2016
Expert Depositions
Kohli, Neeraj (TVT-O General) 3.21.2016
Wilson, Anne (General) 3.22.2016